

PRODUCT SEARCH AND CROSS REFERENCE GUIDE

NPT - NPT / NPSM / SAE-ORB / METRIC

THREAD 1	THREAD 2	TYPE	PART NO.	REFERENCE			PAGE
				PREVIOS PN.	PARKER	EATON	
MALE NPT	MALE NPT	STRAIGHT	LL	ADLL	FF	1N	B2
		45° ELBOW	VLL	A6LL		1N4	B2
		90° ELBOW	WLL	A5LL	CR	1N9	B2
		TEE	TL	T-LLL	RRS	AN	B3
	FEMALE NPT	STRAIGHT	LP	ADLP	FG	5N	B3
		BUSHING	LPB	ADLP-S	PTR	5N	B4
		45° ELBOW	VLP	A6LP	DD45	5N4	B4
		90° ELBOW	WLP	A5LP	CD	5N9	B4
BRANCH-T		TBLP	T-LPL	MMS	JN	B5	
RUN-T		TRLP	T-LPP	MRO	HN	B5	
STRAIGHT		PP	ADPP	GG	7N	B5	
45° ELBOW		VPP	A6PP	DD45	7N4	B6	
90° ELBOW		WPP	A5PP	DD	7N9	B6	
TEE		TP	T-PPP	MMO	GN	B6	
MALE NPT	NPSM 30° CONE SWIVEL	STRAIGHT	LU	ADLU	0107	2NU	B7
90° ELBOW		WLU	A5LU	2107	2NU9	B7	
45° ELBOW		VLU	A6LU	3107	2NU4	B8	
STRAIGHT		PU	ADPU	0207	7NU	B8	
45° ELBOW		VPU	A5PU	3207	7NU4	B9	
90° ELBOW		WPU	A6PU	2207	7NU9	B9	
MALE NPT	FEMALE SAE-ORB	STRAIGHT	LFN		FFG5	5NO	B9
MALE SAE-ORB	FEMALE NPT	STRAIGHT	NP	ADNP	F5OG	5ON	B10
	NPSM 30° CONE SWIVEL	STRAIGHT	NU	ADNU	0507	2OU	B10
		45° ELBOW	VNU	A6NU	3507	2OU4	B10
		90° ELBOW	WNU	A5NU	2507	2OU9	B11
MALE NPT	FEMALE METRIC ISO 6149	STRAIGHT	LFM		FHG8	5NH	B11
		PLUG	PLL	PLUG-L	HP	4N	B11
		PLUG	HPLL	PLUG-L-HH	HHP	4NN	B11
FEMALE NPT		CAP	CPL	PLUG-P	HPC	9N	B12



PRODUCT SEARCH AND CROSS REFERENCE GUIDE

BSP - BSPT / BSPP / SAE-ORB / NPT / METRIC

THREAD 1	THREAD 2	TYPE	PART NO.	REFERENCE			PAGE
				PREVIOUS PN.	PARKER	EATON	
MALE BSPT	MALE BSPT	STRAIGHT	AA	ADAA	FF33M	1T	E3
		45° ELBOW	VAA	A6AA		1T4	E3
		90° ELBOW	WAA	A5AA		1T9	E3
		TEE	TA	T-AAA		AT	E4
	FEMALE BSPT	STRAIGHT	ABT	ADAT		5T	E4
		STRAIGHT	ABT-BU	ADAT		5T	E4
		90° ELBOW	WABT	A5AT		5T9	E4
		STRAIGHT	BTX	ADTT		7T	E5
		90° ELBOW	WBTX	A5TT		7T9	E5
		TEE	TBTX	T-TTT		GT	E5
MALE BSPP 60° CONE	BSPP 60° CONE	STRAIGHT	BB	ADBB	HMK4	1B	E6
		90° ELBOW	WBB	A6BB	EMK4	1B9	E6
		TEE	TB	T-BBB	JMK4	AB	E6
	MALE BSPP O-RING ISO 1179-3	STRAIGHT	BB-ED	ADBB-ED		1B-WD	E7
		STRAIGHT	BB-OR	ADBB-OR		1BG	E7
		45° ELBOW	VBB	A6BB-N		1BG4	E7
		90° ELBOW	WBB	A5BB-N		1BG9	E7
	BSPP 60° CONE	BULKHEAD STRAIGHT	BBBH	ADBB-BH	WMK4WK4NM	6B	E8
		BULKHEAD 90° ELBOW	WBBH	A5BB-BH		6B9	E8
	BSPP 60° CONE SWIVEL	STRAIGHT	BC	ADBC	F6MK4	2B	E8
		45° ELBOW	VBC	A6BC		2B4	E9
		90° ELBOW	WBC	A5BC	C6MK4	2B9	E9
		BRANCH-T	TBBC	T-BCB	S6MK4	BB	E9
		RUN-T	TRBC	T-BBC	R6MK4	CB	E9
	FEMALE BSPP	STRAIGHT	BX	ADBX	G4MK4	5B	E10
		STRAIGHT	BX-ED	RI-ED	RI-ED	5B-WD	E10
	MALE BSPP ISO 1179						
BSPP 60° CONE SWIVEL	BSPP 60° CONE SWIVEL	STRAIGHT	CC	ADCC	H6MK4	3B	E11
		90° ELBOW	WCC	A5CC	E6MK4	3B9	E11
		TEE	TC	T-CCC	J6MK4	DB	E11
FEMALE BSPP	FEMALE BSPP	STRAIGHT	XX	ADXX	GG44M	7B	E11
		90° ELBOW	WXX	A5XX	MM0444M	7B9	E12
		TEE	TX	T-XXX		GB	E12
MALE BSPP 60° CONE	MALE BSPT	STRAIGHT	BA	ADBA		1BT	E12
		STRAIGHT	BAH		F3MK4	1BT	E13
		45° ELBOW	VBA	A6BA		1BT4	E13
		90° ELBOW	WBA	A5BA		1BT9	E13
MALE BSPT	BSPP 60° CONE SWIVEL	STRAIGHT	AC	ADAC		2TB	E14
		90° ELBOW	WAC	A5AC		2TB9	E14
		BRANCH-T	TBAC	T-ACA		BTBT	E14
		RUN-T	TRAC	T-ACC		CTTB	E14
	FEMALE BSPP	STRAIGHT	AX	ADAX		5TB	E15
		BUSHING	AX-BU	ADAX		5TB	E15
MALE BSPP 60° CONE	MALE NPT	STRAIGHT	BL	ADBL	FMK4	1BN	E16
		45° ELBOW	VBL	A6BL		1BN4	E15
		90° ELBOW	WBL	A5BL		1BN9	E15
	SAE-ORB ISO 1926	STRAIGHT	BN	ADBN		1BO	E16
		90° ELBOW	WBN	A5BN-N		1BO9	E16
	MALE METRIC ISO 6149	STRAIGHT	BH	ADBH		1BH	
		90° ELBOW	WBH	A5BH		1BH9	E16
MALE BSPT		PLUG	PLA		HP3M	4T	E17
		PLUG HOLLOW HEX	HPLA			4TN	E17
MALE BSPP 60° CONE		PLUG	PLB	PLUG-B	PNMK4	4B	E17
BSPP-ED PLUG		PLUG	HHPB-ED	VISTI-ED	VISTI-R-ED	4BN-WD	E17
METRIC-ED PLUG		PLUG	HHPM-ED		VISTI-M-ED	4MN-WD	E18
BSPP 60° CONE SWIVEL		CAP	CPB	PLUG-C	FNMK4	9B	E18



PRODUCT SEARCH AND CROSS REFERENCE GUIDE

JIC - NPT/ SAE-ORB / BSPT / BSPP / METRIC

THREAD 1	THREAD 2	TYPE	PART NO.	REFERENCE			PAGE
				PREVIOS PN.	PARKER	EATON	
MALE JIC 37° FLARE	MALE JIC 37° FLARE	STRAIGHT	GG	ADGG	HTX	1J	C4
		STRAIGHT	GG-H		LHTX	1J	C4
		90° ELBOW	WGG	A5GG	ETX	1J9	C4
		TEE	TG	T-GGG	JTX	AJ	C5
	37° FLARE SWIVEL	STRAIGHT	GJ	ADGJ	XHX6	2J	C5
		45° ELBOW	VGJ	A6GJ	V6X	2J4	C5
		90° ELBOW	WGJ	A5GJ	C6X	2J9	C5
		90° ELBOW	EWGJ		39T3		C6
		90° ELBOW LONG	EWGJ-L		41T3		C6
	MALE JIC 37° FLARE	BRANCH-T	TBGJ	T-GJG	S6X	BJ	C6
		RUN-T	TRGJ	T-GGJ	R6X	CJ	C6
	37° FLARE SWIVEL	STRAIGHT	GJ-T		TRTXN	5J	C7
37° FLARE SWIVEL	37° FLARE SWIVEL	STRAIGHT	JJ	ADJJ	HX6	3J	C7
		TEE	TJ	T-JJJ	JX6	DJ	C7
MALE JIC 37° FLARE	MALE JIC 37° FLARE	BULKHEAD	GGBH	ADGG-BL	WTX	6J	C8
		BULKHEAD 45° ELBOW	VGBH	A6GG-BL	WNTX	6J4	C8
		BULKHEAD 90° ELBOW	WGBH	A5GG-BL	WETX	6J9	C8
		BULKHEAD BRANCH-T	TGBBH		WJTX	AJ6J	C8
		BULKHEAD RUN-T	TGRBH		WJJTX	AJJ6J	C9
	MALE NPT	STRAIGHT	GL	ADGL	FTX	1JN	C9
		45° ELBOW	VGL	A6GL	VTX	1JN4	C10
		90° ELBOW	WGL	A5GL	CTX	1JN9	C10
		90° ELBOW LONG	WGL-L	A5GL-L	CCTX	1JN9-L	C11
		90° ELBOW LONG	WGL-LL	A5GL-LL	CCCTX	1JN9-LL	C11
		BRANCH-T	TBGL	T-GLG	STX	AJNJ	C11
		RUN-T	TRGL	T-GGL	RTX	AJJN	C11
		STRAIGHT	GL-L	ADGL-L	FFTX	1JN-L	C12
		STRAIGHT BULKHEAD	GLBH		WFTX	6JN	C12
	FEMALE NPT	STRAIGHT	GP	ADGP	GTX	5JN	C12
		90° ELBOW	WGP	A5GP	DTX	5JN9	C13
		BRANCH-T	TBGP	T-GPG	OTX	KJNJ	C13
		RUN-T	TRGP	T-GGP	NTX	LJJN	C13
MALE NPT	37° FLARE SWIVEL	STRAIGHT	LJ	ADLJ	F6X	2NJ	C14
90° ELBOW		WLJ	A5LJ	X6EF	2NJ9	C14	
FEMALE NPT	STRAIGHT	PJ	ADPJ	G6X	7NJ	C14	
MALE JIC 37° FLARE	MALE SAE-ORB SAE 1926-3	STRAIGHT	GN	ADGN	F50X	1JO	C15
		STRAIGHT LONG	GN-L		FF50X	1JO-L	C15
		45° ELBOW	VGN	A6GN-N	V50X	1JO4	C15
		90° ELBOW	WGN	A5GN-N	C50X	1JO9	C16
		90° ELBOW LONG	WGN-L		CC50X	1JO9-L	C16
		BRANCH-T	TBGN	T-GNG-N	S50X	AJOJ	C16
		RUN-T	TRGN	T-GGN-N	R50X	AJJO	C17
		BULKHEAD STRAIGHT	GNBH		WF50X	6JO	C17
MALE SAE-ORB SAE 1926-3	37° FLARE SWIVEL	STRAIGHT	NJ	ADNJ	F650X	2OJ	C17
		90° ELBOW	WNJ	A5NJ	AOEX6	2OJ9	C17
MALE JIC 37° FLARE	MALE BSPT	STRAIGHT	GA	ADGA	F3MX	1JT	C18
		45° ELBOW	VGA	A6GA	V3MX	1JT4	C18
		90° ELBOW	WGA	A5GA	C3MX	1JT9	C19
MALE BSPT	37° FLARE SWIVEL	STRAIGHT	AJ	ADJA	F63MX	2TJ	C19



PRODUCT SEARCH AND CROSS REFERENCE GUIDE

JIC - NPT/ SAE-ORB / BSPT / BSPP / METRIC

THREAD 1	THREAD 2	TYPE	PART NO.	REFERENCE			PAGE
				PREVIOUS PN.	PARKER	EATON	
MALE JIC 37° FLARE	MALE BSPP-ORR ISO 1179-3	STRAIGHT	GB	ADGB	F40MX	1JG	C20
		45° ELBOW	VGB	A6GB	V40MX	1JG4	C20
		90° ELBOW	WGB	A5GB	C40MX	1JG9	C21
		BRANCH-T	TBGB	T-GBG	S40MX	AJGJ	C21
		RUN-T	TRGB	T-GGB	R40MX	AJJG	C22
MALE BSPP-ORR ISO 1179-3	37° FLARE SWIVEL	STRAIGHT	BJ	ADBJ	R40MX	2BJ	C22
MALE JIC 37° FLARE	MALE BSPP-ED ISO 1179-2	STRAIGHT	GB-ED	ADGB-ED	F42EDMX	1JB-WD	C23
	FEMALE BSPP	STRAIGHT	GX	ADGX	G4MX	5JG	C23
MALE BSPP-ED ISO 1179-2	37° FLARE SWIVEL	STRAIGHT	BJ-ED	ADBJ-ED	F642EDMX	2BJ-ED	C24
MALE JIC 37° FLARE	MALE METRIC-ED ISO 9974-2	STRAIGHT	GM-ED	ADGM-ED	F82EDMX	1JM-WD	C24
	MALE METRIC O-RING	STRAIGHT	GM	ADGH	F80MX	1JH	C24
		45° ELBOW	VGM	A6GH	V80MX	1JH4	C25
		90° ELBOW	WGM	A5GH	C80MX	1JH9	C25
		BRANCH-T	TBGM	T-GHG	S80MX	AJHJ	C25
		RUN-T	TRGM	T-GGH	R80MX	AJJH	C25
MALE METRIC-ED ISO 9974-2	37° FLARE SWIVEL	STRAIGHT	MJ-ED	ADHJ	F682EDMX	2MJ-ED	C26
MALE JIC 37° FLARE	MALE METRIC ISO 6149	STRAIGHT	GH	ADGH-ISO	F87OMX		C26
		45° ELBOW	VGH	A6GH-ISO	V87OMX		C26
		90° ELBOW	WGH	A5GH-ISO	C87OMX		C26
		BRANCH-T	TBGH		S87OMX		C27
		RUN-T	TRGH		R87OMX		C27
	CODE 61	STRAIGHT	GFL		4AH3		C27
		45° ELBOW	VGFL		4FH3		C27
		90° ELBOW	WGFL		4NH3		C27
	CODE 62	STRAIGHT	GFS		6AH3		C28
		45° ELBOW	VGFS		6FH3		C28
		90° ELBOW	WGFS		6NH3		C28
	37° FLARE SWIVEL	TEST POINT	TSGJ		XHX6G5TP		C28
MALE JIC 37° FLARE		PLUG	PLG	PLUG-B	PNTX	4J	C28
37° FLARE SWIVEL		CAP	CPG		0304-C		C29
37° FLARE SWIVEL		CAP	CPG-T	CAP-J	FNTX	9J	C29
NUT		NUT	LNJ		BTX	NB200	C29
SLEEVE		SLEEVE	JSL		TX	NB300	C29
SLEEVE		SLEEVE	JSLM		TX METRIC	NB500	C30
NUT		LOCK NUT	BLNJ		WLN	8J	C30
MALE SAE-ORB SAE 1926-3		PLUG	HPN	PLUG-N	P5ON	4O	C30
		PLUG HOLLOW HEX	HHPN			4ON	C30



PRODUCT SEARCH AND CROSS REFERENCE GUIDE

ORFS - NPT / ORBS / BSPP / METRIC

THREAD 1	THREAD 2	TYPE	PART NO.	REFERENCE			PAGE
				PREVIOS PN.	PARKER	EATON	
MALE ORFS	MALE ORFS	STRAIGHT	OO	ADFF	HLO	1F	D3
		90° ELBOW	WOO	A5FF	ELO	1F9	D3
		TEE	TO	T-FFF	JLO	AF	D3
		BULKHEAD	OOBH	ADFF-BL	WLO	6F	D3
		BULKHEAD 45° ELBOW	VOBH	A6FF-BL	WNLO	6F4	D4
		BULKHEAD 90° ELBOW	WOBH	A5FF-BL	WELO	6F9	D4
		BULKHEAD BRANCH-T	TOBBH		WJLO	AF6FF	D4
		BULKHEAD RUN-T	TORBH		WJJLO	AFF6F	D4
	ORFS SWIVEL	STRAIGHT	OR	ADFR	LOHL6	2F	D5
		45° ELBOW	VOR	A6FR	V6LO	2F4	D5
		STRAIGHT	OR-T		TRLON	2F	D5
		90° ELBOW	WOR	A5FR	C6LO	2F9	D5
		BRANCH-T	TBOR	T-FRF	S6LO	BF	D6
		RUN-T	TROR	T-FFR	R6LO	CF	D6
	MALE NPT	STRAIGHT	OL	ADFL	FLO	1FN	D6
		45° ELBOW	VOL	A6FL	VLO	1FN4	D6
		90° ELBOW	WOL	A5FL	CLO	1FN9	D7
MALE NPT	ORFS SWIVEL	STRAIGHT	LR		F6L	2NF	D7
MALE ORFS	MALE NPT	BRANCH-T	TBOL	T-FFL	SLO	AFNF	D7
		RUN-T	TROL	T-FLF	RLO	AFFN	D7
	MALE SAE-ORB ISO 1926-2	STRAIGHT	ON	ADFN	F5OLO	1FO	D8
		STRAIGHT	ON-LL		FF5OLO	1FO-LL	D8
		BULKHEAD	ONBH		WF5OLO	6FO	D8
		45° ELBOW	VON	A6FN	V5OLO	1FO4	D9
		90° ELBOW	WON	A5FN	C5OLO	1FO9	D9
		90° ELBOW	WON-LL		CC5OLO	1FO9-LL	D10
		RUN-T	TRON	T-FFN	R5OLO	AFFO	D10
		BRANCH-T	TBON	T-FNF	S5OLO	AFOF	D10
	ORFS SWIVEL	STRAIGHT	NR	ADNR	F65OL	2OF	D11
		90° ELBOW	WNR	A5NR	AOEL6	1OF9	D11
	MALE BSPP-ED ISO 1179-2	STRAIGHT	OB-ED	ADFB-ED	F42EDMLO	1FB-WD	D11
		BULKHEAD	OBBH-ED			6FB-WD	D13
	MALE ORFS	90° ELBOW	WOB	A5FB	C4OMLO	1FG9	D12
		45° ELBOW	VOB	A6FB-N	V4OMLO	1FG4	D12
		BRANCH-T	TBOB	T-FFB	S4OMLO	AFGF	D12
		RUN-T	TROB	T-FBF	R4OMLO	AFFG	D13
MALE BSPP-ED ISO 1179-2	ORFS SWIVEL	STRAIGHT	BR-ED	ADBF-ED	F642EDML	2BF-ED	D13
MALE ORFS	MALE METRIC-ED ISO 9974-2	STRAIGHT	OM-ED	ADFM-ED	F82EDMLO	1FM-ED	D13
MALE METRIC-ED ISO 9974-2	ORFS SWIVEL	STRAIGHT	MR-ED	ADMR-ED	F682EDML	2MF-ED	D14
MALE ORFS	MALE METRIC-ORR ISO 6149-2	STRAIGHT	OH-LL				D14
		STRAIGHT	OH		F87OMLO	1FH	D14
		45° ELBOW	VOH		V87OMLO	1FH4	D15
		90° ELBOW	WOH		C87OMLO	1FH9	D15
		BRANCH-T	TBOH		S87OMLO	AFHF	D15
		RUN-T	TROH		R87OMLO	AFFH	D15
MALE METRIC-ORR ISO 6149-2	ORFS SWIVEL	STRAIGHT	HR		F687OML	2HF	D16
		90° ELBOW	WHR		C687OML	2HF9	D16



PRODUCT SEARCH AND CROSS REFERENCE GUIDE

ORFS - NPT / ORBS / BSPP / METRIC

THREAD 1	THREAD 2	TYPE	PART NO.	REFERENCE			PAGE
				PREVIOUS PN.	PARKER	EATON	
MALE ORFS	CODE 61	STRAIGHT	OFL		4AJM		D16
		45° ELBOW	VOFL		4FJM		D16
		90° ELBOW	WOFL		4NJM		D16
	CODE 62	STRAIGHT	OFS		6AJM		D17
		45° ELBOW	VOFS		6FJM		D17
		90° ELBOW	WOFS		6NJM		D17
	FEMALE ORFS SWIVEL	TEST POINT	TSOR		LOHL6G5TP		D17
MALE ORFS		PLUG	PLO	PLUG-F	PNLP	4F	D17
ORFS SWIVEL		CAP	CPO	CAP-R	FNL	9F	D18
NUT		NUT	LNF		BL		D18
NUT		LOCK NUT	BLNF		WLNML		D18
SLEEVE		SLEEVE	OSL		TPL		D18
		SLEEVE	OSLM		TPLS		D19
		SLEEVE	BRSL		TL		D19
		SLEEVE	BRSLM		TLS		D19
MALE ORFS		Braze Connector	BRSO		LOHB3		D20
NIPPLE		Weld-on nipple	WDNP		TWL1		D20



PRODUCT SEARCH AND CROSS REFERENCE GUIDE

DIN - BSPT / BSPP / SAE-ORB / NPT / BANJO / METRIC

THREAD 1	THREAD 2	TYPE	PART NO.	REFERENCE			PAGE
					PARKER	EATON	
DIN 24° CONE	DIN 24° CONE	STRAIGHT	DD		G	1C/1D	F4
		STRAIGHT	DRD		GR	1C/1D	F4
		90° ELBOW	WD		W	1C9/1D9	F5
		TEE	TD		T	AC/AD	F5
		TEE (REDUCER)	TDR		TR	AC/AD	F6
		BULKHEAD	DDBH		SV	6C/6D	F6
		BULKHEAD 90° ELBOW	WDBH		WSV	6C9/6D9	F7
		BULKHEAD WELD	BHWD		ESV		F10
	FEMALE 24° CONE WITH O-RING SWIVEL	STRAIGHT	DE		DA	2C/2D	F7
		STRAIGHT	DRE		RED	2C/2D	F8
		45° ELBOW	VDE		VW	2C4/2D4	F9
		90° ELBOW	WDE		EW	2C9/2D9	F9
		STRAIGHT	EE		GZ	3C/3D	F10
		BRANCH-T	TBDE		ET	BC/BD	F11
		RUN-T	TRDE		EL	CC/CD	F11
	MALE BSPP-ORR ISO 1179-3	STRAIGHT	DB		GE-R	1CG/1DG	F13
		45° ELBOW	VDB		VEE-R	1CG4/1DG4	F13
		90° ELBOW	WDB		WEE-R	1CG9/1DG9	F14
		BRANCH-T	TBDB		TEE-R	ACGC/ADGD	F14
		RUN-T	TRDB		LEE-R	ACCG/ADDG	F15
	MALE BSPP-ED ISO 1179-2	STRAIGHT	DB-ED		GE-R-ED	1CB/1DB-WD	F12
		BULKHEAD	DBBH-ED			6CB/6DB-WD	F15
		STRAIGHT LONG	DB-ED-L				F16
	FEMALE BSPP	STRAIGHT	DFB		GAI-R	5CB/5DB	F16
MALE BSPP-ED ISO 1179-2	FEMALE 24° CONE WITH O-RING SWIVEL	STRAIGHT	BE-ED		EGE-R-ED	2BC/2BD-WD	F17
DIN 24° CONE	MALE BSPP	BANJO	BJDB		WH-R	1CI/1DI-B	F17
	MALE BSPT	STRAIGHT	DA		GE-R-KEG	1CT/1DT	F18
		45° ELBOW	VDA		VE-R-KEG	1CT4/1DT4	F18
		90° ELBOW	WDA		WE-R-KEG	1CT9/1DT9	F19
	MALE NPT	STRAIGHT	DL		GE-NPT	1CN/1DN	F19
		45° ELBOW	VDL		VE-NPT	1CN4/1DN4	F20
		90° ELBOW	WDL		WE-NPT	1CN9/1DN9	F20
FEMALE NPT	FEMALE 24° CONE WITH O-RING SWIVEL	STRAIGHT	LE		EGE-NPT	2NC/2ND	F21
DIN 24° CONE	MALE SAE-ORB SAE J1926-2/3	STRAIGHT	DN		GE-UNF/UN	1CO/1DO	F21
		90° ELBOW	WDN		WEE-UNF	1CO9/1DO9	F22
		BRANCH-T	TBDN		TEE-UNF	ACOC/ADOD	F22
		RUN-T	TRDN		LEE-UNF	ACCO/ADDO	F23
	MALE METRIC ED ISO 9974-2	STRAIGHT	DM-ED		GE-M-ED	1CM/1DM-WD	F23
	MALE METRIC O-RING	STRAIGHT	DM		GE-M	1CH/1DH	F24
		45° ELBOW	VDM		VEE-M	1CH4/1DH4	F24
		90° ELBOW	WDM		WEE-M	1CH9/1DH9	F25
		BRANCH-T	TBDM		TEE-M	ACHC/ADHD	F25
		RUN-T	TRDM		LEE-M	ACCH/ADDH	F26
	FEMALE METRIC	STRAIGHT	DFM		GAI-M	5CM/5DM	F26
MALE METRIC-ED ISO 9974-2	FEMALE 24° CONE WITH O-RING SWIVEL	STRAIGHT	ME-ED		EGE-M-ED	2MC/2MD-WD	F27
DIN 24° CONE	MALE METRIC	BANJO	BJDM		WH-M	1CI/1DI-M	F27



PRODUCT SEARCH AND CROSS REFERENCE GUIDE

DIN - BSPT / BSPP / SAE-ORB / NPT / BANJO / METRIC

THREAD 1	THREAD 2	TYPE	PART NO.	REFERENCE			PAGE
					PARKER	EATON	
DIN 24° CONE	MALE METRIC ISO 6149	STRAIGHT	DH		GEO		F28
		45° ELBOW	VDH		VEE-OR		F28
		90° ELBOW	WDH		WEE-OR		F29
		BRANCH-T	TBDH		TEE-OR		F29
		RUN-T	TRDH		LEE-OR		F30
MALE METRIC ISO 6149	FEMALE 24° CONE WITH O-RING SWIVEL	STRAIGHT	HE		EGEO		F30
DIN 24° CONE	SAE CODE 61 / 62	STRAIGHT	DFL/S		GFS		F31
		90° ELBOW	WDFL/S		WFS		F31
DIN 24° CONE	DIN 24° CONE	TEST POINT	TSDD		GMA3		F32
M16 x 2.0 Diagnostic Tip	FEMALE 24° CONE WITH O-RING SWIVEL	TEST POINT	TSDR		EMA3		F32
M16 x 2.0 Diagnostic Tip	ISO 1179-2 ISO 9974-2	TEST POINT	TS-ED		EMA3		F33
DIN 24° CONE		PLUG	PLD		ROV	4C/4D	F33
24° CONE WITH O-RING SWIVEL		CAP	CPD		VKA	9C/9D	F34
CUTTING-RING		CUTTING-RING	CRD		DPR	RL/RS	F34
MERTIC NUT		NUT	LND		M	NL/NS	F35
BONDED SEAL		BONDED SEAL	BONS				F35
WELD CONNECTOR		WELD CONNECTOR	DWD		AS	1CW/1DW	F36
NIPPLE		NIPPLE	NPD		SKA	2WC/2WD	F36

JIS / KOMATSU - BSPT / BSPP / METRIC

THREAD 1	THREAD 2	TYPE	PART NO.	REFERENCE			PAGE
				PREVIOUS PN.	PARKER	EATON	
KOMATSU 30° FLARE	KOMATSU 30° FLARE	STRAIGHT	KK	ADKK	HMKA	1K	G2
	MALE METRIC O-RING BOSS	STRAIGHT	KM	ADKH		1KH	G2
		45° ELBOW	VKM	A6KH		1KH4	G2
		90° ELBOW	WKM	A5KH		1KH9	G2
		BRANCH-T	TBKM	T-KHK		AKHK	G3
		RUN-T	TRKM	T-KKH		AKKH	G3
	MALE BSPT	STRAIGHT	KA	ADKA	F3MKA	1KT	G3
	MALE BSPT	90° ELBOW	WKA	A5KA	C3MKA	1KT9	G3
JIS 30° FLARE	JIS 30° FLARE	STRAIGHT	SS	ADEE	HT4	1S	G4
	MALE BSPT	STRAIGHT	SA	ADEA	F3T4	1ST	G4
		45° ELBOW	VSA	A6EA	V3T4	1ST4	G4
		90° ELBOW	WSA	A5EA	C3T4	1ST9	G4
	MALE BSPP-ED	STRAIGHT	SB-ED	ADEB-ED		1SB-WD	G5
	MALE BSPP O-RING BOSS	90° ELBOW	WSB	A5EB		1SG9	G5
	KOMATSU 30° FLARE	PLUG	PLK	PLUG-K	PNMKA	4K	G5
	KOMATSU 30° FLARE SWIVEL	CAP	CPK		FNMKA	9K	G5
	MALE JIS 30° FLARE	PLUG	PLS	PLUG-E	PMNT4	4S	G6
	JIS 30° FLARE SWIVEL	CAP	CPS		FNMP4	9S	G6

