





ADAPTER JIC

JIC 37° Flare

GG 	GG-H 	WGG 	TG 
C4	C4	C4	C5

JIC 37° Flare / 37° Flare Swivel


GJ 	VGJ 	WGJ 	EWGJ 	EWGL-L 	TBGJ 
C5	C5	C5	C6	C6	C6

TRGJ 
C6


Reducer JIC 37° Flare

GJ-T 
C7


JIC 37° Flare Swivel

JJ 	TJ 
C7	C7

Bulkhead JIC 37° Flare


GGBH 	VBGH 	WGBH 	TGBBH 	TGRBH 
C8	C8	C8	C8	C9

JIC 37° Flare / NPT Male


GL 	VGL 	WGL 	WGL-L 	WGL-LL 	TBGL 
C9	C10	C10	C11	C11	C11
TRGL 	GL-L 	GLBH 			
C11	C12	C12			

ADAPTER JIC

JIC 37° Flare / NPT Female

GP 	WGP 	TBGP 	TRGP 
C12	C13	C13	C13


NPT Male / JIC 37° Flare Swivel

LJ 	WLJ 
C14	C14


NPT Female / JIC 37° Flare Swivel

PJ 
C14

JIC 37° Flare / SAE-ORB

GN 	GN-L 	VGN 	WGN 	WGN-L 	TBGN 
C15	C15	C15	C16	C16	C16
TRGN 	GN-BH 				
C17	C17				

SAE-ORB / JIC 37° Flare Swivel

NJ 	WNJ 
C17	C17

JIC 37° Flare / BSPT Male

GA 	VGA 	WGA 
C18	C18	C19

NPT Male / JIC 37° Flare Swivel

AJ 
C19


JIC 37° Flare / BSPP O-ring ISO 1179

GB 	VGB 	WGB 	TBGB 	TRGB 	GB-ED 
C20	C20	C21	C21	C22	C23

BSPP Male / JIC 37° Flare Swivel



BJ-ED 	BJ 
C24	C22

JIC 37° Flare / BSPP Female

GX 
C23

ADAPTER JIC




JIC 37° Flare / Metric-ORR Male ISO 9974

GM 	GM-ED 	VGM 	WGM 	TBGM 	TRGM 
C24	C24	C25	C25	C25	C25




Metric-ED Male / JIC 37° Flare Swivel

MJ-ED 
C26




JIC 37° Flare / Metric Male ISO 6149-3

GH 	VGH 	WGH 	TBGH 	TRGH 
C26	C26	C26	C27	C27


JIC 37° Flare / SAE Code 61 Flange


GFL 	VGFL 	WGFL 
C27	C27	C27

JIC 37° Flare / SAE Code 62 Flange


GFS 	VGFS 	WGFS 
C28	C28	C28

TEST POINT

TSGJ 
C28

PLG 	CPG 	CPG-T 	LNJ 	JSL - Inch 	JSLM - Metric 
C28	C29	C29	C29	C29	C30
BLNJ 	HPN 	HPN 			
C30	C30	C30			


GG JIC 37° Flare / 37° Flare



Reference
 Old PN: ADGG
 Parker: HTX
 Eaton Winner: 1J
 US Spec: 2403

PN	Threads		Dimensions	
	1	2	L	S
GG-02-02	5/16-24	5/16-24	30	12
GG-03-03	3/8-24	3/8-24	31.5	12
GG-04-04	7/16-20	7/16-20	35	12
GG-04-05	7/16-20	1/2-20	35	14
GG-04-06	7/16-20	9/16-18	36	17
GG-05-05	1/2-20	1/2-20	35	14
GG-05-06	1/2-20	9/16-18	36	17
GG-06-06	9/16-18	9/16-18	36	17
GG-06-08	9/16-18	3/4-16	38.5	19
GG-08-08	3/4-16	3/4-16	41	19
GG-08-10	3/4-16	7/8-14	45	22
GG-08-12	3/4-16	1 1/16-12	49.5	27
GG-10-10	7/8-14	7/8-14	48	22
GG-10-12	7/8-14	1 1/16-12	52	27
GG-10-16	7/8-14	1 5/16-12	52	38
GG-12-12	1 1/16-12	1 1/16-12	55	27
GG-12-16	1 1/16-12	1 5/16-12	56	38
GG-16-16	1 5/16-12	1 5/16-12	57	38
GG-16-20	1 5/16-12	1 5/8-12	62	46
GG-20-20	1 5/8-12	1 5/8-12	62	46
GG-20-24	1 5/8-12	1 7/8-12	67	50
GG-24-24	1 7/8-12	1 7/8-12	70	50
GG-24-32	1 7/8-12	2 1/2-12	71.5	65
GG-32-32	2 1/2-12	2 1/2-12	86.5	65


GG JIC 37° Flare / 37° Flare - Large Hex



Reference
 Old PN: -
 Parker: LHTX
 Eaton Winner: 1J
 US Spec: 2403-LH

PN	Threads		Dimensions	
	1	2	L	S
GG-04-04H	7/16-20	7/16-20	34.8	17
GG-05-05H	1/2-20	1/2-20	34.8	19
GG-06-06H	9/16-18	9/16-18	35.8	22
GG-08-08H	3/4-16	3/4-16	41	24
GG-10-10H	7/8-14	7/8-14	47.8	30
GG-12-12H	1 1/16-12	1 1/16-12	55	36
GG-16-16H	1 5/16-12	1 5/16-12	57.2	41
GG-20-20H	1 5/8-12	1 5/8-12	61.7	50
GG-24-24H	1 7/8-12	1 7/8-12	70	60
GG-32-32H	2 1/2-12	2 1/2-12	86.4	75


WGG JIC 37° Flare / 37° Flare Elbow



Reference
 Old PN: A5GG
 Parker: ETX
 Eaton Winner: 1J9
 US Spec: 2500

PN	Threads		Dimensions	
	1	2	N	S
WGG-04-04	7/16-20	7/16-20	22.5	12
WGG-05-05	1/2-20	1/2-20	24	14
WGG-06-06	9/16-18	9/16-18	27	14
WGG-08-08	3/4-16	3/4-16	32	19
WGG-10-10	7/8-14	7/8-14	37	22
WGG-12-12	1 1/16-12	1 1/16-12	42	27
WGG-16-16	1 5/16-12	1 5/16-12	46	33
WGG-20-20	1 5/8-12	1 5/8-12	52.5	41
WGG-24-24	1 7/8-12	1 7/8-12	59	48
WGG-32-32	2 1/2-12	2 1/2-12	77.5	65


TG Tee JIC 37° Flare



Reference
Old PN: T-GGG
Parker: JTX
Eaton Winner: AJ
US Spec: 2603

PN	Threads		Dimensions	
	1,2	3	M	S
TG-04-04-04	7/16-20	7/16-20	22.6	12
TG-05-05-05	1/2-20	1/2-20	24.1	14
TG-06-06-06	9/16-18	9/16-18	26.9	14
TG-08-08-08	3/4-16	3/4-16	31.8	19
TG-10-10-10	7/8-14	7/8-14	36.8	22
TG-12-12-12	1 1/16-12	1 1/16-12	42.2	27
TG-16-16-16	1 5/8-12	1 5/8-12	46	33
TG-20-20-20	1 5/8-12	1 5/8-12	52.3	41
TG-24-24-24	1 7/8-12	1 7/8-12	59.2	48
TG-32-32-32	2 1/2-12	2 1/2-12	77.7	65


VGJ JIC 37° Flare / 37° Flare Swivel 45° Elbow



Reference
Old PN: A6GJ
Parker: V6X
Eaton Winner: 2J4
US Spec: 6502

PN	Threads		Dimensions			
	1	2	M	L	S	S1
VGJ-04-04	7/16-20	7/16-20	18.5	23.9	12	17
VGJ-05-05	1/2-20	1/2-20	19.5	25.4	14	19
VGJ-06-06	9/16-18	9/16-18	21	28.4	14	22
VGJ-08-08	3/4-16	3/4-16	25	32.5	19	24
VGJ-10-10	7/8-14	7/8-14	28	36.6	22	30
VGJ-12-12	1 1/16-12	1 1/16-12	32.5	38.1	27	36
VGJ-16-16	1 5/16-12	1 5/16-12	37.5	44.4	33	41
VGJ-20-20	1 5/8-12	1 5/8-12	40.5	51.6	41	50
VGJ-24-24	1 7/8-12	1 7/8-12	45	57.2	48	55
VGJ-32-32	2 1/2-12	2 1/2-12	56.6	74	65	75


GJ JIC 37° Flare / 37° Flare Swivel



Reference
Old PN: ADGJ
Parker: XHX6
Eaton Winner: 2J
US Spec: 6504

PN	Threads		Dimensions		
	1	2	L	S	S1
GJ-04-04	7/16-20	7/16-20	35	14	14
GJ-04-05	7/16-20	1/2-20	36	14	17
GJ-05-05	1/2-20	1/2-20	36	14	17
GJ-05-06	1/2-20	9/16-18	37	17	19
GJ-06-06	9/16-18	9/16-18	38	17	19
GJ-08-08	3/4-16	3/4-16	44	19	22
GJ-08-10	3/4-14	7/8-14	48	22	27
GJ-10-10	7/8-14	7/8-14	51	22	27
GJ-10-12	7/8-14	1 1/16-12	54	27	32
GJ-12-12	1 1/16-12	1 1/16-12	56	27	32
GJ-16-16	1 5/16-12	1 5/16-12	63	35	38
GJ-20-20	1 5/8-12	1 5/8-12	70	46	50


WGJ JIC 37° Flare / 37° Flare Swivel 90° Elbow



Reference
Old PN: ASGJ
Parker: C6X
Eaton Winner: 2J9
US Spec: 6500

PN	Threads		Dimensions		
	1	2	N	L	S
WGJ-04-04	7/16-20	7/16-20	22.5	25.4	12
WGJ-05-05	1/2-20	1/2-20	24	26.9	14
WGJ-06-06	9/16-18	9/16-18	27	31.8	14
WGJ-08-08	3/4-16	3/4-16	32	35.1	19
WGJ-10-10	7/8-14	7/8-14	37	41.1	22
WGJ-12-12	1 1/16-12	1 1/16-12	42	44.4	27
WGJ-16-16	1 5/16-12	1 5/16-12	46	50.8	33
WGJ-20-20	1 5/8-12	1 5/8-12	52.5	58.7	41
WGJ-24-24	1 7/8-12	1 7/8-12	59	65.8	48
WGJ-32-32	2 1/2-12	2 1/2-12	77.5	86	65


EWGJ JIC 37° Flare / 37° Flare Swivel 90° Elbow



Reference
Parker: 39T3

PN	Threads	Dimensions		
	1,2	E	F	S
EWGJ-06-06	9/16-18	29	48	17
EWGJ-08-08	3/4-16	35	55	22
EWGJ-10-10	7/8-14	42	65	24
EWGJ-12-12	1 1/16-12	52	75	27
EWGJ-16-16	1 5/16-12	63	104	35
EWGJ-20-20	1 5/8-12	81	120	43


EWGJ JIC 37° Flare / 37° Flare Swivel 90° Elbow Long Drop



Reference
Parker: 41T3

PN	Threads	Dimensions		
	1,2	E	F	S
EWGJ-08-08L	3/4-16	62	48	22
EWGJ-10-10L	7/8-14	65	65	24
EWGJ-12-12L	1 1/16-12	95	75	27
EWGJ-16-16L	1 5/16-12	107	104	35


TBGJ Branch Tee 37° Flare / 37° Flare Swivel



Reference
Old PN: T-GJG
Parker: S6X
Eaton Winner: BJ
US Spec: 6600

PN	Threads		Dimensions		
	1,2	3	M	M2	S
TBGJ-04-04-04	7/16-20	7/16-20	22.5	25.4	12
TBGJ-05-05-05	1/2-20	1/2-20	24	26.9	14
TBGJ-06-06-06	9/16-18	9/16-18	27	31.8	14
TBGJ-08-08-08	3/4-16	3/4-16	32	35.1	19
TBGJ-10-10-10	7/8-14	7/8-14	37	41.1	22
TBGJ-12-12-12	1 1/16-12	1 1/16-12	42	44.4	27
TBGJ-16-16-16	1 5/16-12	1 5/16-12	46	50.8	33
TBGJ-20-20-20	1 5/8-12	1 5/8-12	52.5	58.7	41
TBGJ-24-24-24	1 7/8-12	1 7/8-12	59	65.8	48
TBGJ-32-32-32	2 1/2-12	2 1/2-12	77.5	86	65


TRGJ RUN Tee 37° Flare / 37° Flare Swivel



Reference
Old PN: T-GGJ
Parker: R6X
Eaton Winner: BJ
US Spec: 6602

PN	Threads		Dimensions		
	1,3	2	M	M2	S
TRGJ-04-04-04	7/16-20	7/16-20	22.5	25.4	12
TRGJ-05-05-05	1/2-20	1/2-20	24	26.9	14
TRGJ-06-06-06	9/16-18	9/16-18	27	31.8	14
TRGJ-08-08-08	3/4-16	3/4-16	32	35.1	19
TRGJ-10-10-10	7/8-14	7/8-14	37	41.1	22
TRGJ-12-12-12	1 1/16-12	1 1/16-12	42	44.4	27
TRGJ-16-16-16	1 5/16-12	1 5/16-12	46	50.8	33
TRGJ-20-20-20	1 5/8-12	1 5/8-12	52.5	58.7	41
TRGJ-24-24-24	1 7/8-12	1 7/8-12	59	65.8	48
TRGJ-32-32-32	2 1/2-12	2 1/2-12	77.5	86	65


GJ-T Reducer Adapter 37° Flare 2 piece



Reference
 Old PN: -
 Parker: TRTXN
 Eaton Winner: 5JN
 US Spec: 2406

PN	Threads		Dimensions		
	1	2	L	L1	S
GJ-02-04T	5/16-24	7/16-20	28	19	14
GJ-04-06T	7/16-20	9/16-18	34.5	24.6	19
GJ-04-08T	7/16-20	3/4-16	36	25.4	22
GJ-04-12T	7/16-20	1 1/16-12	43	27.7	32
GJ-04-16T	7/16-20	1 5/16-12	47	31	41
GJ-06-08T	9/16-18	3/4-16	36.5	25.4	22
GJ-06-10T	9/16-18	7/8-14	39	26.2	27
GJ-06-12T	9/16-18	1 1/16-12	42	27.7	32
GJ-06-16T	9/16-18	1 5/16-12	47	31	41
GJ-08-12T	3/4-16	1 1/16-12	44.5	30.2	32
GJ-08-16T	3/4-16	1 5/16-12	47.5	32.3	41
GJ-10-16T	7/8-14	1 5/16-12	50.5	35.5	41
GJ-12-16T	1 1/16-12	1 5/16-12	52.5	37.3	41
GJ-12-20T	1 1/16-12	1 5/8-12	55	39	50
GJ-16-20T	1 5/16-12	1 5/8-12	56.5	40.4	50
GJ-16-24T	1 5/16-12	1 7/8-12	60	40.4	60
GJ-20-24T	1 5/8-12	1 7/8-12	62	43	60
GJ-20-32T	1 5/8-12	2 1/2-12	69	45	75
GJ-24-32T	1 7/8-12	2 1/2-12	72.5	48.5	75


JJ Union 37° Flare Swivel



Reference
 Old PN: ADJJ
 Parker: HX6
 Eaton Winner: 3J
 US Spec: 6565

PN	Threads		Dimensions		
	1	2	L	S	S1
JJ-04-04	7/16-20	7/16-20	38	12	14
JJ-05-05	1/2-20	1/2-20	42	14	17
JJ-06-06	9/16-18	9/16-18	45	17	19
JJ-08-08	3/4-16	3/4-16	52	19	22
JJ-10-10	7/8-14	7/8-14	56	22	27
JJ-12-12	1 1/16-12	1 1/16-12	60	27	32
JJ-16-16	1 5/16-12	1 5/16-12	70	35	38

TJ Tee 37° Flare Swivel




Reference
 Old PN: T-JJJ
 Parker: JX6
 Eaton Winner: DJ
 US Spec: 6606

PN	Threads	Dimensions	
	1,2,3	M2	S
TJ-04-04-04	7/16-20	25.4	12
TJ-05-05-05	1/2-20	26.9	14
TJ-06-06-06	9/16-18	31.8	14
TJ-08-08-08	3/4-16	35.1	19
TJ-10-10-10	7/8-14	41.1	22
TJ-12-12-12	1 1/16-12	44.4	27
TJ-16-16-16	1 5/16-12	50.8	33

GGBH Bulkhead JIC 37° Flare

Reference

Old PN: ADGG-BL
Parker: WTX
Eaton Winner: 6J
US Spec: 2700-LN




PN	Threads		Dimensions		
	1	2	L	L1	S
GGBH-04-04	7/16-20	7/16-20	52.6	30.5	17
GGBH-05-05	1/2-20	1/2-20	52.6	30.5	19
GGBH-06-06	9/16-18	9/16-18	55.4	32.5	22
GGBH-08-08	3/4-16	3/4-16	62	36.6	24
GGBH-10-10	7/8-14	7/8-14	69.6	40.1	30
GGBH-12-12	1 1/16-12	1 1/16-12	78.5	44.4	36
GGBH-16-16	1 5/16-12	1 5/16-12	80	44.4	41
GGBH-20-20	1 5/8-12	1 5/8-12	84	45.7	50
GGBH-24-24	1 7/8-12	1 7/8-12	89.4	46	55
GGBH-32-32	2 1/2-12	2 1/2-12	106.7	53.1	70

WGBH Bulkhead 90° Elbow JIC 37° Flare

Reference

Old PN: A5GG-BL
Parker: WETX
Eaton Winner: 6J9
US Spec: 2701-LN




PN	Threads		Dimensions		
	1	2	N	N1	S
WGBH-04-04	7/16-20	7/16-20	24.5	40.5	12
WGBH-05-05	1/2-20	1/2-20	27	43.5	14
WGBH-06-06	9/16-18	9/16-18	27.5	46	14
WGBH-08-08	3/4-16	3/4-16	34.5	53.5	19
WGBH-10-10	7/8-14	7/8-14	39.5	60.5	22
WGBH-12-12	1 1/16-12	1 1/16-12	45	68	27
WGBH-16-16	1 5/16-12	1 5/16-12	49.5	71	33
WGBH-20-20	1 5/8-12	1 5/8-12	55	79	41

VGBH Bulkhead 45° Elbow JIC 37° Flare

Reference

Old PN: A6GG-BL
Parker: WNTX
Eaton Winner: 6J4
US Spec: 2702-LN




PN	Threads		Dimensions			
	1	2	M	L	S	S1
VGBH-04-04	7/16-20		18.5	39	12	17
VGBH-05-05	1/2-20	1/2-20	19.5	42	14	19
VGBH-06-06	9/16-18	9/16-18	21	42.5	14	22
VGBH-08-08	3/4-16	3/4-16	25	49.5	19	24
VGBH-10-10	7/8-14	7/8-14	28	55	22	30
VGBH-12-12	1 1/16-12	1 1/16-12	32.5	62	27	36
VGBH-16-16	1 5/16-12	1 5/16-12	37.5	65	33	41
VGBH-20-20	1 5/8-12	1 5/8-12	40.5	67.5	41	50

TGBBH Bulkhead Branch Tee JIC 37° Flare


Reference

Parker: WJTX
Eaton Winner: AJ6J
US Spec: 2703-LN



PN	Threads	Dimensions		
	1,2,3	M	M1	S
TGBBH-04-04-04	7/16-20	24.5	40.5	12
TGBBH-05-05-05	1/2-20	27	43.5	14
TGBBH-06-06-06	9/16-18	27.5	46	14
TGBBH-08-08-08	3/4-16	34.5	53.5	19
TGBBH-10-10-10	7/8-14	39.5	60.5	22
TGBBH-12-12-12	1 1/16-12	45	68	27
TGBBH-16-16-16	1 5/16-12	49.5	71	33
TGBBH-20-20-20	1 5/8-12	55	79	41

TGRBH Bulkhead Run Tee JIC 37° Flare




Reference

Parker: WJJTX
Eaton Winner: AJJ6J-LN
US Spec: 2704-LN

PN	Threads	Dimensions		
	1,2,3	M	M1	S1
TGRBH-04-04-04	7/16-20	24.5	40.5	12
TGRBH-05-05-05	1/2-20	27	43.5	14
TGRBH-06-06-06	9/16-18	27.5	46	14
TGRBH-08-08-08	3/4-16	34.5	53.5	19
TGRBH-10-10-10	7/8-14	39.5	60.5	22
TGRBH-12-12-12	1 1/16-12	45	68	27
TGRBH-16-16-16	1 5/16-12	49.5	71	33
TGRBH-20-20-20	1 5/8-12	55	79	41

GL JIC 37° Flare / NPT Male



Reference


Old PN: ADGL
Parker: FTX
Eaton Winner: 1JN
US Spec: 2404

PN	Threads		Dimensions	
	1	2	L	S
GL-04-02	7/16-20	1/8-27	31	12
GL-04-04	7/16-20	1/4-18	36	14
GL-04-06	7/16-20	3/8-18	36.5	19
GL-04-08	7/16-20	1/2-14	43	22
GL-05-04	1/2-20	1/4-18	36	14
GL-05-06	1/2-20	3/8-18	36.5	19
GL-06-02	9/16-18	1/8-27	31.5	17
GL-06-04	9/16-18	1/4-18	36.3	17
GL-06-06	9/16-18	3/8-18	36.5	19
GL-06-08	9/16-18	1/2-14	43	22
GL-08-04	3/4-16	1/4-18	39	19
GL-08-06	3/4-16	3/8-18	39	19
GL-08-08	3/4-16	1/2-14	45.5	22
GL-08-12	3/4-16	3/4-14	47	27
GL-10-06	7/8-14	3/8-18	43	22
GL-10-08	7/8-14	1/2-14	48	22
GL-10-12	7/8-14	3/4-14	49.5	27
GL-12-08	1 1/16-12	1/2-14	50.8	27
GL-12-12	1 1/16-12	3/4-14	52.5	27
GL-12-16	1 1/16-12	1-11.5	57	35
GL-16-12	1 5/16-12	3/4-14	53.5	35
GL-16-16	1 5/16-12	1-11.5	58.4	35
GL-16-20	1 5/16-12	1 1/4-11.5	61	46
GL-20-16	1 5/8-12	1-11.5	61.5	46
GL-20-20	1 5/8-12	1 1/4-11.5	62.2	46
GL-20-24	1 5/8-12	1 1/2-11.5	65	50
GL-24-20	1 7/8-12	1 1/4-11.5	67.5	50
GL-24-24	1 7/8-12	1 1/2-11.5	68	50
GL-24-32	1 7/8-12	2-11.5	72.5	65
GL-32-24	2 1/2-12	1 1/2-11.5	79	65
GL-32-32	2 1/2-12	2-11.5	79	65

PART C
JIC

ADAPTER JIC


VGL JIC 37° Flare / NPT Male 45° Elbow



Reference
 Old PN: A6GL
 Parker: VTX
 Eaton Winner: 1JN4
 US Spec: 2503

PN	Threads		Dimensions		
	1	2	M	L	S
VGL-04-02	7/16-20	1/8-27	18.5	16.5	11
VGL-04-04	7/16-20	1/4-18	21	22	14
VGL-04-06	7/16-20	3/8-18	21.5	24	17
VGL-05-04	1/2-20	1/4-18	22	22	14
VGL-05-06	1/2-20	3/8-18	22	24	17
VGL-06-02	9/16-18	1/8-27	21	17	14
VGL-06-04	9/16-18	1/4-18	21	22	14
VGL-06-06	9/16-18	3/8-18	22	24	17
VGL-06-08	9/16-18	1/2-14	22.5	28	22
VGL-08-04	3/4-16	1/4-18	25	24	19
VGL-08-06	3/4-16	3/8-18	25	24	19
VGL-08-08	3/4-16	1/2-14	26	28	22
VGL-08-12	3/4-16	3/4-14	26.5	32	27
VGL-10-06	7/8-14	3/8-18	28	25	22
VGL-10-08	7/8-14	1/2-14	28	28	22
VGL-10-12	7/8-14	3/4-14	28.5	32	27
VGL-12-08	1 1/16-12	1/2-14	32	32	27
VGL-12-12	1 1/16-12	3/4-14	32	32	27
VGL-12-16	1 1/16-12	1-11.5	37	38	33
VGL-16-12	1 5/16-12	3/4-14	37.5	35	33
VGL-16-16	1 5/16-12	1-11.5	37.5	38	33
VGL-16-20	1 5/16-12	1 1/4-11.5	40.5	42.5	41
VGL-20-16	1 5/8-12	1-11.5	40.5	41.5	41
VGL-20-20	1 5/8-12	1 1/4-11.5	40.5	42.5	41
VGL-24-24	1 7/8-12	1 1/2-11.5	45	45	48
VGL-32-32	2 1/2-12	2-11.5	56.5	54	65


WGL JIC 37° Flare / NPT Male 90° Elbow



Reference
 Old PN: A5GL
 Parker: CTX
 Eaton Winner: 1JN9
 US Spec: 2501

PN	Threads		Dimensions		
	1	2	N	L	S
WGL-04-02	7/16-20	1/8-27	22.6	20	12
WGL-04-04	7/16-20	1/4-18	26.7	27.8	14
WGL-04-06	7/16-20	3/8-18	28.4	31	17
WGL-04-08	7/16-20	1/2-14	30.7	37.3	22
WGL-05-04	1/2-20	1/4-18	26.7	27.7	14
WGL-05-06	1/2-20	3/8-18	28.4	31	17
WGL-06-02	9/16-18	1/8-27	27	22.9	14
WGL-06-04	9/16-18	1/4-18	27	27.7	14
WGL-06-06	9/16-18	3/8-18	29	31	17
WGL-06-08	9/16-18	1/2-14	31	37.3	22
WGL-08-04	3/4-16	1/4-18	31.8	31	19
WGL-08-06	3/4-16	3/8-18	31.8	31	19
WGL-08-08	3/4-16	1/2-14	33.8	37.3	22
WGL-08-12	3/4-16	3/4-14	36	40.5	27
WGL-10-06	7/8-14	3/8-18	36.8	32.5	22
WGL-10-08	7/8-14	1/2-14	36.8	37.3	22
WGL-10-12	7/8-14	3/4-14	38.9	40.5	27
WGL-12-08	1 1/16-12	1/2-14	42.2	40.5	27
WGL-12-12	1 1/16-12	3/4-14	42.2	40.5	27
WGL-12-16	1 1/16-12	1-11.5	44.7	50	33
WGL-16-12	1 5/16-12	3/4-14	46	45.3	33
WGL-16-16	1 5/16-12	1-11.5	46	50	33
WGL-16-20	1 5/16-12	1 1/4-11.5	51	60.5	41
WGL-20-16	1 5/8-12	1-11.5	52.3	52.3	41
WGL-20-20	1 5/8-12	1 1/4-11.5	52.3	60.5	41
WGL-20-24	1 5/8-12	1 1/2-11.5	56	67	48
WGL-24-20	1 7/8-12	1 1/4-11.5	59.2	57.2	48
WGL-24-24	1 7/8-12	1 1/2-11.5	59.2	67	48
WGL-24-32	1 7/8-12	2-11.5	71.5	76.2	65
WGL-32-24	2 1/2-12	1 1/2-11.5	78	75.5	65
WGL-32-32	2 1/2-12	2-11.5	78	76.2	65


WGL-L JIC 37° Flare / NPT Male Long Elbow



Reference
 Old PN: A5GL-L
 Parker: CCTX
 Eaton Winner: 1JN9-L
 US Spec: 2501-L

PN	Threads		Dimensions		
	1	2	N	L	S
WGL-04-02L	7/16-20	1/8-27	22.6	29.7	12
WGL-04-04L	7/16-20	1/4-18	26.7	40	14
WGL-06-04L	9/16-18	1/4-18	27	40	14
WGL-06-06L	9/16-18	3/8-18	29	46.2	19
WGL-08-06L	3/4-16	3/8-18	31.8	46.2	19
WGL-08-08L	3/4-16	1/2-14	33.8	55	22
WGL-10-08L	7/8-14	1/2-14	36.8	55	22
WGL-12-12L	1 1/16-12	3/4-14	42.2	62	27
WGL-16-16L	1 5/16-12	1-11.5	46	76.5	33


WGL-LL JIC 37° Flare / NPT Male Extra Long Elbow



Reference
 Old PN: A5GL-LL
 Parker: CCCTX
 Eaton Winner: 1JN9-LL
 US Spec: 2501-LL

PN	Threads		Dimensions		
	1	2	N	L	S
WGL-04-02LL	7/16-20	1/8-27	22.6	40	12
WGL-04-04LL	7/16-20	1/4-18	26.7	52.5	14
WGL-06-04LL	9/16-18	1/4-18	27	52.5	14
WGL-06-06LL	9/16-18	3/8-18	29	59.5	19
WGL-08-06LL	3/4-16	3/8-18	31.8	59.5	19
WGL-08-08LL	3/4-16	1/2-14	33.8	73	22
WGL-10-08LL	7/8-14	1/2-14	36.8	73	22
WGL-12-12LL	1 1/16-12	3/4-14	42.2	83.5	27
WGL-16-16LL	1 5/16-12	1-11.5	46	103	33


TBGL Branch Tee JIC 37° Flare / NPT Male



Reference
 Old PN: T-GLG
 Parker: STX
 Eaton Winner: AJNJ
 US Spec: 2601

PN	Threads		Dimensions		
	1,2	3	M	M3	S
TBGL-04-04-02	7/16-20	1/8-27	22.6	20	12
TBGL-04-04-04	7/16-20	1/4-18	26.7	27.8	14
TBGL-04-04-06	7/16-20	3/8-18	28.4	31	17
TBGL-05-05-04	1/2-20	1/4-18	26.7	27.7	14
TBGL-06-06-04	9/16-18	1/4-18	27	27.7	14
TBGL-06-06-06	9/16-18	3/8-18	29	31	17
TBGL-08-08-06	3/4-16	3/8-18	31.8	31	19
TBGL-08-08-08	3/4-16	1/2-14	33.8	37.3	22
TBGL-10-10-08	7/8-14	1/2-14	36.8	37.3	22
TBGL-12-12-12	1 1/16-12	3/4-14	42.2	40.5	27
TBGL-16-16-16	1 5/16-12	1-11.5	46	50	33
TBGL-20-20-20	1 5/8-12	1 1/4-11.5	52.3	60.5	41
TBGL-24-24-24	1 7/8-12	1 1/2-11.5	59.2	67	48


TRGL Run Tee JIC 37° Flare / NPT Male



Reference
 Old PN: T-GGL
 Parker: RTX
 Eaton Winner: AJJN
 US Spec: 2605

PN	Threads		Dimensions		
	1,3	2	M	M3	S
TRGL-04-02-04	7/16-20	1/8-27	22.6	20	12
TRGL-04-04-04	7/16-20	1/4-18	26.7	27.8	14
TRGL-04-06-04	7/16-20	3/8-18	28.4	31	17
TRGL-05-04-05	1/2-20	1/4-18	26.7	27.7	14
TRGL-06-04-06	9/16-18	1/4-18	27	27.7	14
TRGL-06-06-06	9/16-18	3/8-18	29	31	17
TRGL-08-06-08	3/4-16	3/8-18	31.8	31	19
TRGL-08-08-08	3/4-16	1/2-14	33.8	37.3	22
TRGL-10-08-10	7/8-14	1/2-14	36.8	37.3	22
TRGL-12-12-12	1 1/16-12	3/4-14	42.2	40.5	27
TRGL-16-16-16	1 5/16-12	1-11.5	46	50	33
TRGL-20-20-20	1 5/8-12	1 1/4-11.5	52.3	60.5	41
TRGL-24-24-24	1 7/8-12	1 1/2-11.5	59.2	67	48


GL-L JIC 37° Flare / NPT Male Long



Reference
 Old PN: ADGL-L
 Parker: FFTX
 Eaton Winner: 1JN-L
 US Spec: 2404-L

PN	Threads		Dimensions		
	1	2	L	S	
GL-04-02L	7/16-20	1/8-27	46	14	
GL-04-04L	7/16-20	1/4-18	57	14	
GL-06-04L	9/16-18	1/4-18	57	14	
GL-06-06L	9/16-18	3/8-18	63.5	19	
GL-08-06L	3/4-16	3/8-18	70	19	
GL-08-08L	3/4-16	1/2-14	71	22	
GL-10-08L	7/8-14	1/2-14	79.5	22	
GL-12-12L	1 1/16-12	3/4-14	89	27	


GLBH Bulkhead JIC 37° Flare / NPT Male



Reference
 Old PN: ADGL-BL
 Parker: WFTX
 Eaton Winner: 6JN
 US Spec: 2706-LN

PN	Threads		Dimensions		
	1	2	L	L1	S
GLBH-04-02	7/16-20	1/8-27	48	30.5	17
GLBH-04-04	7/16-20	1/4-18	53.5	30.5	17
GLBH-06-04	9/16-18	1/4-18	55	32.5	22
GLBH-06-06	9/16-18	3/8-18	55	32.5	22
GLBH-06-08	9/16-18	1/2-14	61.5	32.5	22
GLBH-08-06	3/4-16	3/8-18	60	36.6	24
GLBH-08-08	3/4-16	1/2-14	66	36.6	24
GLBH-10-08	7/8-14	1/2-14	70	40.1	30
GLBH-12-12	1 1/16-12	3/4-14	75	44.4	36
GLBH-16-16	1 5/16-12	1-11.5	80	44.4	41


GP JIC 37° Flare / NPT Female



Reference
 Old PN: ADGP
 Parker: GTX
 Eaton Winner: 5JN
 US Spec: 2405

PN	Threads		Dimensions		
	1	2	L	S	
GP-04-02	7/16-20	1/8-27	30	14	
GP-04-04	7/16-20	1/4-18	35	19	
GP-04-06	7/16-20	3/8-18	37	22	
GP-04-08	7/16-20	1/2-14	43	27	
GP-05-04	1/2-20	1/4-18	35	19	
GP-06-02	9/16-18	1/8-27	30	17	
GP-06-04	9/16-18	1/4-18	36	19	
GP-06-06	9/16-18	3/8-18	37	22	
GP-06-08	9/16-18	1/2-14	43	27	
GP-08-04	3/4-16	1/4-18	39.5	19	
GP-08-06	3/4-16	3/8-18	40	22	
GP-08-08	3/4-16	1/2-14	45.5	27	
GP-08-12	3/4-16	3/4-14	47	35	
GP-10-08	7/8-14	1/2-14	48	27	
GP-10-12	7/8-14	3/4-14	50	35	
GP-12-08	1 1/16-12	1/2-14	52	27	
GP-12-12	1 1/16-12	3/4-14	52.5	35	
GP-12-16	1 1/16-12	1-11.5	58.5	41	
GP-16-12	1 5/16-12	3/4-14	54	36	
GP-16-16	1 5/16-12	1-11.5	60	41	
GP-16-20	1 5/16-12	1 1/4-11.5	62	50	
GP-20-16	1 5/8-12	1-11.5	63	46	
GP-20-20	1 5/8-12	1 1/4-11.5	63	50	
GP-24-24	1 7/8-12	1 1/2-11.5	66.5	60	
GP-32-32	2 1/2-12	2-11.5	75.5	75	


WGP JIC 37° Flare / NPT Female 90° Elbow



Reference
 Old PN: A5GP
 Parker: DTX
 Eaton Winner: 5JN9
 US Spec: 2502

PN	Threads		Dimensions		
	1	2	N	L	S
WGP-04-02	7/16-20	1/8-27	27.4	16.8	14
WGP-04-04	7/16-20	1/4-18	31	22.4	19
WGP-05-02	1/2-20	1/8-27	27.4	16.8	14
WGP-05-04	1/2-20	1/4-18	31	22.4	19
WGP-06-02	9/16-18	1/8-27	31	16.8	14
WGP-06-04	9/16-18	1/4-18	31	22.4	19
WGP-06-06	9/16-18	3/8-18	33	26	22
WGP-08-04	3/4-16	1/4-18	36	26	19
WGP-08-06	3/4-16	3/8-18	36	26	22
WGP-08-08	3/4-16	1/2-14	38.6	31	27
WGP-10-08	7/8-14	1/2-14	41.7	31	27
WGP-12-08	1 1/16-12	1/2-14	48	34	27
WGP-12-12	1 1/16-12	3/4-14	48	34	33
WGP-16-16	1 5/16-12	1-11.5	55	41	41
WGP-20-20	1 5/8-12	1 1/4-11.5	59.2	43	48
WGP-24-24	1 7/8-12	1 1/2-11.5	73.4	53	65


TBGP Branch Tee JIC 37° Flare / NPT Female



Reference
 Old PN: T-GPG
 Parker: OTX
 Eaton Winner: KJNJ
 US Spec: 2602

PN	Threads		Dimensions		
	1,2	3	M	M5	S
TBGP-04-04-02	7/16-20	1/8-27	27.4	16.8	14
TBGP-04-04-04	7/16-20	1/4-18	31	22.4	19
TBGP-06-06-04	9/16-18	1/4-18	31	22.4	19
TBGP-06-06-06	9/16-18	3/8-18	33	26	22
TBGP-08-08-06	3/4-16	3/8-18	36	26	22
TBGP-08-08-08	3/4-16	1/2-14	38.6	31	27
TBGP-10-10-08	7/8-14	1/2-14	41.7	31	27
TBGP-12-12-12	1 1/16-12	3/4-14	48	34	33
TBGP-16-16-16	1 5/16-12	1-11.5	55	41	41
TBGP-20-20-20	1 5/8-12	1 1/4-11.5	59.2	43	48
TBGP-24-24-24	1 7/8-12	1 1/2-11.5	73.4	53	65


TRGP Run Tee JIC 37° Flare / NPT Female



Reference
 Old PN: T-GGP
 Parker: NTX
 Eaton Winner: LJNJ
 US Spec: 2606

PN	Threads		Dimensions		
	1,3	2	M	M5	S
TRGP-04-02-04	7/16-20	1/8-27	27.4	16.8	14
TRGP-04-04-04	7/16-20	1/4-18	31	22.4	19
TRGP-06-04-06	9/16-18	1/4-18	31	22.4	19
TRGP-06-06-06	9/16-18	3/8-18	33	26	22
TRGP-08-06-08	3/4-16	3/8-18	36	26	22
TRGP-08-08-08	3/4-16	1/2-14	38.6	31	27
TRGP-10-08-10	7/8-14	1/2-14	41.7	31	27
TRGP-12-12-12	1 1/16-12	3/4-14	48	34	33
TRGP-16-16-12	1 5/16-12	1-11.5	55	41	41
TRGP-20-20-20	1 5/8-12	1 1/4-11.5	59.2	43	48
TRGP-24-24-24	1 7/8-12	1 1/2-11.5	73.4	53	65


LJ NPT Male / JIC 37° Flare Swivel



Reference
 Old PN: ADLJ
 Parker: F6X
 Eaton Winner: 2NJ
 US Spec: 6505

PN	Threads		Dimensions			
	1	2	L	S	S1	
LJ-02-04	1/8-27	7/16-20	31	12	14	
LJ-04-04	1/4-18	7/16-20	40	14	14	
LJ-04-05	1/4-18	1/2-20	40	14	17	
LJ-04-06	1/4-18	9/16-18	42	17	19	
LJ-06-06	3/8-18	9/16-18	43	19	19	
LJ-06-08	1/2-14	9/16-18	45	19	22	
LJ-08-08	1/2-14	3/4-16	50	22	22	
LJ-08-10	1/2-14	7/8-14	52	22	27	
LJ-08-12	1/2-14	1 1/16-12	55	27	32	
LJ-12-12	3/4-14	1 1/16-12	55	27	32	
LJ-12-16	3/4-14	1 5/16-12	60	32	38	
LJ-16-16	1-11.5	1 5/16-12	63.5	35	38	
LJ-20-20	1 1/4-11.5	1 5/8-12	70	46	50	
LJ-24-24	1 1/2-11.5	1 7/8-12	78	50	60	
LJ-32-32	2-11.5	2 1/2-12	90	65	75	


PJ NPT Female / JIC 37° Flare Swivel



Reference
 Old PN: ADPJ
 Parker: G6X
 Eaton Winner: 2NJ
 US Spec: 6506

PN	Threads		Dimensions			
	1	2	L	S	S1	
PJ-02-04	1/8-27	7/16-20	32	14	14	
PJ-04-04	1/4-18	7/16-20	36	19	14	
PJ-04-06	1/4-18	9/16-18	36.5	22	19	
PJ-06-06	3/8-18	9/16-18	39	22	19	
PJ-08-08	1/2-14	3/4-16	49	27	22	
PJ-08-10	1/2-14	7/8-14	50	27	27	
PJ-12-12	3/4-14	1 1/16-12	51	35	32	
PJ-16-16	1-11.5	1 5/16-12	63	41	38	
PJ-20-20	1 1/4-11.5	1 5/8-12	73	50	50	
PJ-24-24	1 1/2-11.5	1 7/8-12	76	60	60	
PJ-32-32	2-11.5	2 1/2-12	86	75	75	


LJ NPT Male / JIC 37° Flare Swivel 90° Elbow



Reference
 Old PN: A5LJ
 Parker: X6EF
 Eaton Winner: 2NJ9
 US Spec: 6501

PN	Threads		Dimensions			
	1	2	L	M	S	
WLJ-02-04	1/8-27	7/16-20	19.8	25.5	12	
WLJ-04-04	1/4-18	7/16-20	27.7	28.5	14	
WLJ-04-06	1/4-18	9/16-18	27.7	31.7	14	
WLJ-06-06	3/8-18	9/16-18	31	32.2	19	
WLJ-06-08	1/2-14	9/16-18	31	35	19	
WLJ-08-08	1/2-14	3/4-16	37.3	37.5	22	
WLJ-08-10	1/2-14	7/8-14	37.3	41	22	
WLJ-12-12	3/4-14	1 1/16-12	40	44.5	27	
WLJ-16-16	1-11.5	1 5/16-12	50	51	33	


GN JIC 37° Flare / SAE-ORB J1926-23



Reference
 Old PN: ADGN
 Parker: F50X
 Eaton Winner: 1JO
 US Spec: 6400

PN	Threads		Dimensions	
	1	2	L	S
GN-02-02	5/16-24	5/16-24	27	12
GN-03-03	3/8-24	3/8-24	28	12
GN-04-04	7/16-20	7/16-20	31.2	14
GN-04-02	7/16-20	5/16-24	29.7	12
GN-04-03	7/16-20	3/8-24	29.7	12
GN-04-05	7/16-20	1/2-20	31.2	17
GN-04-06	7/16-20	9/16-18	32.7	19
GN-05-04	1/2-20	7/16-20	31.2	14
GN-05-05	1/2-20	1/2-20	31.2	17
GN-05-06	1/2-20	9/16-18	33	19
GN-06-04	9/16-18	7/16-20	32.2	17
GN-06-05	9/16-18	1/2-20	32.2	17
GN-06-06	9/16-18	9/16-18	33	19
GN-06-08	9/16-18	3/4-16	35	24
GN-08-06	3/4-16	9/16-18	36.5	22
GN-08-08	3/4-16	3/4-16	37.6	24
GN-08-10	3/4-16	7/8-14	41.7	27
GN-08-12	3/4-16	1 1/16-12	44.7	32
GN-10-06	7/8-14	9/16-18	43.5	24
GN-10-08	7/8-14	3/4-16	41.7	24
GN-10-10	7/8-14	7/8-14	43.2	27
GN-10-12	7/8-14	1 1/16-12	47.2	32
GN-12-10	1 1/16-12	7/8-14	47.7	27
GN-12-12	1 1/16-12	1 1/16-12	50	32
GN-12-16	1 1/16-12	1 5/16-12	50.5	38
GN-14-14	1.3/16-12	1.3/16-12	50.5	36
GN-16-12	1 5/16-12	1 1/16-12	50.5	36
GN-16-16	1 5/16-12	1 5/16-12	51.8	38
GN-16-20	1 5/16-12	1 5/8-12	53.8	50
GN-20-16	1 5/8-12	1 5/16-12	59.1	46
GN-20-20	1 5/8-12	1 5/8-12	55	50
GN-20-24	1 5/8-12	1 7/8-12	56.8	55
GN-24-20	1 7/8-12	1 5/8-12	64.1	50
GN-24-24	1 7/8-12	1 7/8-12	60	55
GN-32-32	2 1/2-12	2 1/2-12	70.5	70


GN-L JIC 37° Flare / SAE-ORB J1926-3 - Long



Reference
 Old PN:
 Parker: FF50X
 Eaton Winner: 1JO-L
 US Spec: 6400-L

PN	Threads		Dimensions	
	1	2	L	S
GN-04-04L	7/16-20	7/16-20	52.8	14
GN-06-06L	9/16-18	9/16-18	58.7	19
GN-08-08L	3/4-16	3/4-16	68.6	24
GN-10-10L	7/8-14	7/8-14	77.2	27
GN-12-12L	1 1/16-12	1 1/16-12	91.7	32
GN-16-16L	1 5/16-12	1 5/16-12	101	38
GN-20-20L	1 5/8-12	1 5/8-12	119	50


VGN JIC 37° Flare / SAE-ORB 45° Elbow



Reference
 Old PN: A6GN
 Parker: V50X
 Eaton Winner: 1JO4
 US Spec: 6802

PN	Threads		Dimensions		
	1	2	M	L	S
VGN-04-04	7/16-20	7/16-20	18.5	26.7	12
VGN-04-06	7/16-20	9/16-18	21	29	12
VGN-05-05	1/2-20	1/2-20	19.5	26.7	14
VGN-06-04	9/16-18	7/16-20	21	27.5	14
VGN-06-06	9/16-18	9/16-18	21	29	14
VGN-06-08	9/16-18	3/4-16	22	33	19
VGN-08-06	3/4-16	9/16-18	25	27.5	19
VGN-08-08	3/4-16	3/4-16	25	33	19
VGN-08-10	3/4-16	7/8-14	25.4	38.6	22
VGN-10-08	7/8-14	3/4-16	28	35	22
VGN-10-10	7/8-14	7/8-14	28	38.6	22
VGN-10-12	7/8-14	1 1/16-12	29.5	44	27
VGN-12-10	1 1/16-12	7/8-14	32.5	40	27
VGN-12-12	1 1/16-12	1 1/16-12	32.5	44	27
VGN-12-16	1 1/16-12	1 5/16-12	36	47.2	33
VGN-16-16	1 5/16-12	1 5/16-12	37.5	47.2	33
VGN-20-20	1 5/8-12	1 5/8-12	40.5	48.5	41
VGN-24-24	1 7/8-12	1 7/8-12	45	48.5	48
VGN-32-32	2 1/2-12	2 1/2-12	56.6	47.2	65


WGN JIC 37° Flare / SAE-ORB 90° Elbow



Reference
 Old PN: A5GN
 Parker: C5OX
 Eaton Winner: 1JO9
 US Spec: 6801

PN	Threads		Dimensions		
	1	2	N	L	S1
WGN-04-02	7/16-20	5/16-24	22.5	23.5	12
WGN-04-04	7/16-20	7/16-20	22.5	26.2	12
WGN-04-06	7/16-20	9/16-18	26.7	31.8	14
WGN-05-04	1/2-20	7/16-20	24	28.7	14
WGN-05-05	1/2-20	1/2-20	24	28.7	14
WGN-05-06	1/2-20	9/16-18	27	31.8	14
WGN-06-04	9/16-18	7/16-20	27	30.2	14
WGN-06-05	9/16-18	1/2-20	27	30.2	14
WGN-06-06	9/16-18	9/16-18	27	31.8	14
WGN-06-08	9/16-18	3/4-16	29	36.8	19
WGN-08-06	3/4-16	9/16-18	31.8	34	19
WGN-08-08	3/4-16	3/4-16	31.8	36.8	19
WGN-08-10	3/4-16	7/8-14	33.8	43.2	22
WGN-08-12	3/4-16	1 1/16-12	36	49.3	27
WGN-10-06	7/8-14	9/16-18	36.8	35.8	22
WGN-10-08	7/8-14	3/4-16	36.8	39.4	22
WGN-10-10	7/8-14	7/8-14	36.8	43.2	22
WGN-10-12	7/8-14	1 1/16-12	42.2	49.3	27
WGN-12-10	1 1/16-12	7/8-14	42.2	45.2	27
WGN-12-12	1 1/16-12	1 1/16-12	42.2	49.3	27
WGN-12-16	1 1/16-12	1 5/16-12	44.7	52	33
WGN-14-14	1.3/16-12	1.3/16-12	45.7	52	30
WGN-16-12	1 5/16-12	1 1/16-12	46	52	33
WGN-16-16	1 5/16-12	1 5/16-12	46	52	33
WGN-16-20	1 5/16-12	1 5/8-12	51	57.2	41
WGN-20-16	1 5/8-12	1 5/16-12	52.3	57.2	41
WGN-20-20	1 5/8-12	1 5/8-12	52	57.2	41
WGN-20-24	1 5/8-12	1 7/8-12	56	60.7	48
WGN-24-20	1 7/8-12	1 5/8-12	59	60.7	48
WGN-24-24	1 7/8-12	1 7/8-12	59	60.7	48
WGN-32-32	2 1/2-12	2 1/2-12	78	73.5	65


WGN-L JIC 37° Flare / SAE-ORB 90° Elbow



Reference
 Old PN:
 Parker: CC5OX
 Eaton Winner: 1JO9-L
 US Spec: 6801-L


PN	Threads		Dimensions		
	1	2	N	L	S
WGN-04-04L	7/16-20	7/16-20	22.5	44	14
WGN-06-06L	9/16-18	9/16-18	27	53	14
WGN-08-08L	3/4-16	3/4-16	32	63.5	19
WGN-10-10L	7/8-14	7/8-14	36.8	73.5	22
WGN-12-12L	1 1/16-12	1 1/16-12	42	85	27
WGN-16-16L	1 5/16-12	1 5/16-12	46	95	33

TBGN Branch Tee JIC 37° Flare / SAE-ORB




Reference
 Old PN: T-GNG
 Parker: S5OX
 Eaton Winner: AJOJ
 US Spec: 6803

PN	Threads		Dimensions		
	1,2	3	M	M4	S
TBGN-04-04-04	7/16-20	7/16-20	22.5	26.2	12
TBGN-04-04-06	7/16-20	9/16-18	26.7	31.8	14
TBGN-05-05-05	1/2-20	1/2-20	24	28.7	14
TBGN-06-06-06	9/16-18	9/16-18	27	31.8	14
TBGN-06-06-08	9/16-18	3/4-16	29	36.8	19
TBGN-08-08-08	3/4-16	3/4-16	31.8	36.8	19
TBGN-08-08-10	3/4-16	7/8-14	33.8	43.2	22
TBGN-10-10-08	7/8-14	3/4-16	36.8	39.4	22
TBGN-10-10-10	7/8-14	7/8-14	36.8	43.2	22
TBGN-12-12-12	1 1/16-12	1 1/16-12	42.2	49.3	27
TBGN-16-16-16	1 5/16-12	1 5/16-12	46	52	33
TBGN-20-20-20	1 5/8-12	1 5/8-12	52	57.2	41
TBGN-24-24-24	1 7/8-12	1 7/8-12	59	60.7	48
TBGN-32-32-32	2 1/2-12	2 1/2-12	78	73.5	65

TRGN Run Tee JIC 37° Flare / SAE-ORB



Reference
Old PN: T-GGN
Parker: R5OX
Eaton Winner: AJJO
US Spec: 6804

PN	Threads		Dimensions		
	1,3	2	M	M4	S
TRGN-04-04-04	7/16-20	7/16-20	22.5	26.2	12
TRGN-04-06-04	7/16-20	9/16-18	26.7	31.8	14
TRGN-05-05-05	1/2-20	1/2-20	24	28.7	14
TRGN-06-06-06	9/16-18	9/16-18	27	31.8	14
TRGN-06-08-06	9/16-18	3/4-16	29	36.8	19
TRGN-08-08-08	3/4-16	3/4-16	31.8	36.8	19
TRGN-08-10-08	3/4-16	7/8-14	33.8	43.2	22
TRGN-10-08-10	7/8-14	3/4-16	36.8	39.4	22
TRGN-10-10-10	7/8-14	7/8-14	36.8	43.2	22
TRGN-12-12-12	1 1/16-12	1 1/16-12	42.2	49.3	27
TRGN-16-16-16	1 5/16-12	1 5/16-12	46	52	33
TRGN-20-20-20	1 5/8-12	1 5/8-12	52	57.2	41
TRGN-24-24-24	1 7/8-12	1 7/8-12	59	60.7	48
TRGN-32-32-32	2 1/2-12	2 1/2-12	78	73.5	65

NJ SAE-ORB / JIC 37° Flare



Reference
Old PN: ADNJ
Parker: F65OX
Eaton Winner: 2OJ
US Spec: 6502

PN	Threads		Dimensions	
	1	2	L	S
NJ-04-04	7/16-20	7/16-20	33	14
NJ-04-06	7/16-20	9/16-18	35	17
NJ-05-05	1/2-20	1/2-20	35	17
NJ-06-04	9/16-18	7/16-20	34	19
NJ-06-06	9/16-18	9/16-18	36	19
NJ-06-08	9/16-18	3/4-16	39	19
NJ-08-06	3/4-16	9/16-18	38	24
NJ-08-08	3/4-16	3/4-16	41	24
NJ-08-10	3/4-16	7/8-14	44.5	24
NJ-10-08	7/8-14	3/4-16	45	27
NJ-10-10	7/8-14	7/8-14	46	27
NJ-10-12	7/8-14	1 1/16-12	47	27
NJ-12-12	1 1/16-12	1 1/16-12	52.5	32
NJ-16-16	1 5/16-12	1 5/16-12	53.5	38

GNBH Bulkhead JIC 37° Flare / SAE-ORB


Reference
Old PN: -
Parker: WF5OX
Eaton Winner: 6JO


PN	Threads		Dimensions		
	1	2	L	L1	S
GNBH-04-04	7/16-20	7/16-20	46.7	30.5	17
GNBH-06-06	9/16-18	9/16-18	52.5	32.5	22
GNBH-08-08	3/4-16	3/4-16	55.6	36.6	24
GNBH-10-10	7/8-14	7/8-14	62.7	40.1	30
GNBH-12-12	1 1/16-12	1 1/16-12	70.8	44.4	36
GNBH-16-16	1 5/16-12	1 5/16-12	73.5	44.4	41

WNJ SAE-ORB / JIC 37° Flare 90° Elbow


Reference
Old PN: A5NJ
Parker: AOEX6
Eaton Winner: 2OJ9
US Spec: 6809

PN	Threads		Dimensions		
	1	2	M	L	S
WNJ-04-04	7/16-20	7/16-20	25.4	26.2	12
WNJ-06-06	9/16-18	9/16-18	31.7	31.7	14
WNJ-08-08	3/4-16	3/4-16	35	36.8	19
WNJ-10-10	7/8-14	7/8-14	41	43.2	22
WNJ-12-12	1 1/16-12	1 1/16-12	44.5	49.3	27
WNJ-16-16	1 5/16-12	1 5/16-12	50	52	33

GA JIC 37° Flare / BSPT Male




Reference

Old PN: ADGA
Parker: F3MX
Eaton Winner: 1JT

PN	Threads		Dimensions	
	1	2	L	S
GA-04-02	7/16-20	1/8-28	29	12
GA-04-04	7/16-20	1/4-19	35.3	14
GA-04-06	7/16-20	3/8-19	36	17
GA-04-08	7/16-20	1/2-14	40	22
GA-05-04	1/2-20	1/4-19	35.3	14
GA-05-06	1/2-20	3/8-19	36	19
GA-06-02	9/16-18	1/8-28	32	17
GA-06-04	9/16-18	1/4-19	36	17
GA-06-06	9/16-18	3/8-19	36.5	19
GA-06-08	9/16-18	1/2-14	43	22
GA-08-04	3/4-16	1/4-19	38	19
GA-08-06	3/4-16	3/8-19	39	19
GA-08-08	3/4-16	1/2-14	45.5	22
GA-08-12	3/4-16	3/4-14	47.2	27
GA-10-06	7/8-14	3/8-19	43	22
GA-10-08	7/8-14	1/2-14	48	22
GA-10-12	7/8-14	3/4-14	48	27
GA-12-08	1 1/16-12	1/2-14	50.8	27
GA-12-12	1 1/16-12	3/4-14	50.8	27
GA-12-16	1 1/16-12	1-11	56	35
GA-16-12	1 5/16-12	3/4-14	53.5	35
GA-16-16	1 5/16-12	1-11	58	35
GA-16-20	1 5/16-12	1 1/4-11	60	46
GA-20-16	1 5/8-12	1-11	60	46
GA-20-20	1 5/8-12	1 1/4-11	61	46
GA-20-24	1 5/8-12	1 1/2-11	65	50
GA-24-20	1 7/8-12	1 1/4-11	67	50
GA-24-24	1 7/8-12	1 1/2-11	67	50
GA-24-32	1 7/8-12	2-11	73.5	65
GA-32-24	2 1/2-12	1 1/2-11	80	65
GA-32-32	2 1/2-12	2-11	80	65

VGA JIC 37° Flare / BSPT Male 45° ELBOW




Reference

Old PN: A6GA
Parker: V3MX
Eaton Winner: 1JT4

PN	Threads		Dimensions		
	1	2	M	L	S
VGA-04-02	7/16-20	1/8-28	20	18	11
VGA-04-04	7/16-20	1/4-19	22	22	14
VGA-04-06	7/16-20	3/8-19	25	25	17
VGA-05-04	1/2-20	1/4-19	22	22	14
VGA-05-06	1/2-20	3/8-19	25	25	17
VGA-06-04	9/16-18	1/4-19	23	22	14
VGA-06-06	9/16-18	3/8-19	25	25	17
VGA-06-08	9/16-18	1/2-14	27	28	22
VGA-08-04	3/4-16	1/4-19	26	24	19
VGA-08-06	3/4-16	3/8-19	26	25	19
VGA-08-08	3/4-16	1/2-14	28	28	22
VGA-08-12	3/4-16	3/4-14	30	32	27
VGA-10-06	7/8-14	3/8-19	28	27	22
VGA-10-08	7/8-14	1/2-14	28	28	22
VGA-10-12	7/8-14	3/4-14	30	32	27
VGA-12-08	1 1/16-12	1/2-14	32	32	27
VGA-12-12	1 1/16-12	3/4-14	32	32	27
VGA-12-16	1 1/16-12	1-11	37	38	33
VGA-16-12	1 5/16-12	3/4-14	38	38	33
VGA-16-16	1 5/16-12	1-11	38	38	33
VGA-16-20	1 5/16-12	1 1/4-11	40.5	42.5	41
VGA-20-16	1 5/8-12	1-11	40.5	41.5	41
VGA-20-20	1 5/8-12	1 1/4-11	40.5	42.5	41
VGA-24-24	1 7/8-12	1 1/2-11	45	45	48
VGA-32-32	2 1/2-12	2-11	56.5	54	65


WGA JIC 37° Flare / BSPT Male 90° ELBOW



Reference
 Old PN: A5GA
 Parker: C3MX
 Eaton Winner: 1JT9

PN	Threads		Dimensions		
	1	2	N	L	S
WGA-04-02	7/16-20	1/8-28	23.5	21	11
WGA-04-04	7/16-20	1/4-19	25.5	25.5	14
WGA-04-06	7/16-20	3/8-19	29	29	17
WGA-05-04	1/2-20	1/4-19	25.5	25.5	14
WGA-05-06	1/2-20	3/8-19	29	29	17
WGA-06-04	9/16-18	1/4-19	26	25.5	14
WGA-06-06	9/16-18	3/8-19	29	29	17
WGA-06-08	9/16-18	1/2-14	33.5	34.5	22
WGA-08-04	3/4-16	1/4-19	32.5	30.5	19
WGA-08-06	3/4-16	3/8-19	32.5	32.5	19
WGA-08-08	3/4-16	1/2-14	34.5	34.5	22
WGA-08-12	3/4-16	3/4-14	39	41	27
WGA-10-06	7/8-14	3/8-19	35	33.5	22
WGA-10-08	7/8-14	1/2-14	35	34.5	22
WGA-10-12	7/8-14	3/4-14	40	41	27
WGA-12-08	1 1/16-12	1/2-14	41	40	27
WGA-12-12	1 1/16-12	3/4-14	41	41	27
WGA-12-16	1 1/16-12	1-11	48	48	33
WGA-16-12	1 5/16-12	3/4-14	48	48	33
WGA-16-16	1 5/16-12	1-11	48	48	33
WGA-16-20	1 5/16-12	1 1/4-11	57	57	41
WGA-20-16	1 5/8-12	1-11	57	57	41
WGA-20-20	1 5/8-12	1 1/4-11	57	57	41
WGA-20-24	1 5/8-12	1 1/2-11	64	64	48
WGA-24-20	1 7/8-12	1 1/4-11	64	64	48
WGA-24-24	1 7/8-12	1 1/2-11	64	64	48
WGA-24-32	1 7/8-12	2-11	73.5	75	65
WGA-32-24	2 1/2-12	1 1/2-11	78	75	65
WGA-32-32	2 1/2-12	2-11	78	75	65


AJ BSPT Male / JIC 37° Flare Swivel



Reference
 Old PN: ADAJ
 Parker: F63MX
 Eaton Winner: 2TJ

PN	Threads		Dimensions		
	1	2	L	S	S1
AJ-02-04	1/8-28	7/16-20	31	12	14
AJ-04-04	1/4-19	7/16-20	40	14	14
AJ-04-05	1/4-19	1/2-20	40	14	17
AJ-04-06	1/4-19	9/16-18	42	17	19
AJ-06-06	3/8-19	9/16-18	43	19	19
AJ-06-08	1/2-14	9/16-18	45	19	22
AJ-08-08	1/2-14	3/4-16	50	22	22
AJ-08-10	1/2-14	7/8-14	52	22	27
AJ-08-12	1/2-14	1 1/16-12	55	27	32
AJ-12-12	3/4-14	1 1/16-12	55	27	32
AJ-12-16	3/4-14	1 5/16-12	60	32	38
AJ-16-16	1 1/2-11	1 5/16-12	63.5	35	38
AJ-20-20	1 1/4-11	1 5/8-12	70	46	50
AJ-24-24	1 1/2-11	1 7/8-12	78	50	60
AJ-32-32	2-11	2 1/2-12	90	65	75


GB JIC 37° Flare / BSPP O-ring Boss



Reference
Old PN: ADGB
Parker: F4OMX
Eaton Winner: 1JG

PN	Threads		Dimensions	
	1	2	L	S
GB-04-02	7/16-20	1/8-28	29	14
GB-04-04	7/16-20	1/4-19	32	19
GB-04-06	7/16-20	3/8-19	34	22
GB-05-04	1/2-20	1/4-19	32	19
GB-05-06	1/2-20	3/8-19	34	22
GB-06-04	9/16-18	1/4-19	32	19
GB-06-06	9/16-18	3/8-19	34.6	22
GB-06-08	9/16-18	1/2-14	38.5	30
GB-08-06	3/4-16	3/8-19	36	22
GB-08-08	3/4-16	1/2-14	42	30
GB-08-12	3/4-16	3/4-14	42.5	36
GB-10-08	7/8-14	1/2-14	44	30
GB-10-12	7/8-14	3/4-14	45	36
GB-12-08	1 1/16-12	1/2-14	47	30
GB-12-12	1 1/16-12	3/4-14	47.5	36
GB-12-16	1 1/16-12	1-11	53	46
GB-16-12	1 5/16-12	3/4-14	48.5	36
GB-16-16	1 5/16-12	1-11	53	46
GB-16-20	1 5/16-12	1 1/4-11	55	50
GB-20-16	1 5/8-12	1-11	57	46
GB-20-20	1 5/8-12	1 1/4-11	57	50
GB-24-24	1 7/8-12	1 1/2-11	61	55


VGB JIC 37° Flare / BSPP O-ring 45° Elbow



Reference
Old PN: A6GB
Parker: V4OMX
Eaton Winner: 1JG4

PN	Threads		Dimensions		
	1	2	M	L	S
VGB-04-04	7/16-20	1/4-19	21	26.5	14
VGB-04-06	7/16-20	3/8-19	21.5	30	17
VGB-05-04	1/2-20	1/4-19	21.5	26.5	14
VGB-06-04	9/16-18	1/4-19	22.5	26.5	14
VGB-06-06	9/16-18	3/8-19	22.5	30	17
VGB-06-08	9/16-18	1/2-14	25	38.5	22
VGB-08-06	3/4-16	3/8-19	25	33	19
VGB-08-08	3/4-16	1/2-14	26.5	38.5	22
VGB-08-12	3/4-16	3/4-14	28	44	27
VGB-10-08	7/8-14	1/2-14	28	38.5	27
VGB-10-12	7/8-14	3/4-14	30.5	44	27
VGB-12-12	3/4-16	3/4-14	32.5	44	27
VGB-16-16	3/4-16	1/2-14	37.5	47	33
VGB-20-20	3/4-16	3/4-14	40.5	48	41

WGB JIC 37° Flare / BSPP O-ring 90° Elbow




Reference

Old PN: A5GB
Parker: C4OMX
Eaton Winner: 1JG9
US Spec: -

PN	Threads		Dimensions		
	1	2	N	L	S
WGB-04-02	7/16-20	1/8-28	22.6	26.5	11
WGB-04-04	7/16-20	1/4-19	27	32	14
WGB-04-06	7/16-20	3/8-19	26.5	37	19
WGB-05-04	1/2-20	1/4-19	26.5	32	14
WGB-05-06	1/2-20	3/8-19	28.5	37	19
WGB-06-04	9/16-18	1/4-19	27	32	19
WGB-06-06	9/16-18	3/8-19	29	37	19
WGB-06-08	9/16-18	1/2-14	31.2	43	22
WGB-08-06	3/4-16	3/8-19	31.8	37	19
WGB-08-08	3/4-16	1/2-14	33.8	43	22
WGB-08-12	3/4-16	3/4-14	36.6	49.5	27
WGB-10-08	7/8-14	1/2-14	36.8	43	22
WGB-10-12	7/8-14	3/4-14	39.2	49.5	27
WGB-12-08	1 1/16-12	1/2-14	42.2	49.5	27
WGB-12-12	1 1/16-12	3/4-14	42.2	49.5	27
WGB-12-16	1 1/16-12	1-11	44.7	52	33
WGB-16-12	1 5/16-12	3/4-14	46	47	33
WGB-16-16	1 5/16-12	1-11	46	52	33
WGB-16-20	1 5/16-12	1 1/4-11	50	57	41
WGB-20-16	1 5/8-12	1-11	52.3	57	41
WGB-20-20	1 5/8-12	1 1/4-11	52.3	57	41
WGB-24-24	1 7/8-12	1 1/2-11	59.2	60.5	48

TBGB Branch Tee JIC 37° Flare / BSPP O-ring




Reference

Old PN: T-GBG
Parker: S4OMX
Eaton Winner: AJGJ

PN	Threads			Dimensions		
	1,2	3		M	M4	S
TBGB-04-04-02	7/16-20	1/8-28		22.6	26.5	11
TBGB-04-04-04	7/16-20	1/4-19		27	32	14
TBGB-06-06-04	9/16-18	1/4-19		27	32	19
TBGB-06-06-06	9/16-18	3/8-19		29	37	19
TBGB-08-08-06	3/4-16	3/8-19		31.8	37	19
TBGB-08-08-08	3/4-16	1/2-14		33.8	43	22
TBGB-10-10-08	7/8-14	1/2-14		36.8	43	22
TBGB-12-12-12	1 1/16-12	3/4-14		42.2	49.5	27
TBGB-16-16-16	1 5/16-12	1-11		46	52	33


TRGB Run Tee JIC 37° Flare / BSPP O-ring



Reference
 Old PN: T-GGB
 Parker: R4OMX
 Eaton Winner: AJJG

PN	Threads		Dimensions		
	1,3	2	M	M4	S
TBGB-04-02-04	7/16-20	1/8-28	22.6	26.5	11
TBGB-04-04-04	7/16-20	1/4-19	27	32	14
TBGB-06-06-04	9/16-18	1/4-19	27	32	19
TBGB-06-06-06	9/16-18	3/8-19	29	37	19
TBGB-08-06-08	3/4-16	3/8-19	31.8	37	19
TBGB-08-08-08	3/4-16	1/2-14	33.8	43	22
TBGB-10-10-08	7/8-14	1/2-14	36.8	43	22
TBGB-12-12-12	1 1/16-12	3/4-14	42.2	49.5	27
TBGB-16-16-16	1 5/16-12	1-11	46	52	33


BJ BSPP-ORR / JIC 37° Flare Swivel



Reference
 Old PN: ADBJ
 Parker: F64OMX
 Eaton Winner: 2GJ

PN	Threads		Dimensions	
	1	2	L	S
BJ-04-04	1/4-19	7/16-20	35	19
BJ-04-05	1/4-19	1/2-20	37	19
BJ-04-06	1/4-19	9/16-18	39	19
BJ-06-06	3/8-19	9/16-18	39	22
BJ-06-08	3/8-19	3/4-16	42	22
BJ-08-08	1/2-14	3/4-16	45.5	27
BJ-08-10	1/2-14	7/8-14	48.5	27
BJ-08-12	1/2-14	1 1/16-12	50	27
BJ-12-12	3/4-14	1 1/16-12	52	32
BJ-12-16	3/4-14	1 5/16-12	57	32
BJ-16-16	1-11	1 5/16-12	59	41
BJ-20-20	1 1/4-11	1 5/8-12	63.5	50
BJ-24--24	1 1/2-11	1 7/8-12	74	55


GB-ED JIC 37° Flare / BSPP-ED



Reference
 Old PN: ADGB-ED
 Parker: F42EDMX
 Eaton Winner: 1JB-WD

PN	Threads		Dimensions	
	1	2	L	S
GB-04-02ED	7/16-20	1/8-28	30	14
GB-04-04ED	7/16-20	1/4-19	35	19
GB-04-06ED	7/16-20	3/8-19	36	22
GB-05-04ED	1/2-20	1/4-19	34.8	19
GB-05-06ED	1/2-20	3/8-19	36	22
GB-06-04ED	9/16-18	1/4-19	35.1	19
GB-06-06ED	9/16-18	3/8-19	36	22
GB-06-08ED	9/16-18	1/2-14	40	27
GB-08-06ED	3/4-16	3/8-19	38.5	22
GB-08-08ED	3/4-16	1/2-14	42	27
GB-08-12ED	3/4-16	3/4-14	45	32
GB-10-08ED	7/8-14	1/2-14	44.5	27
GB-10-12ED	7/8-14	3/4-14	48	32
GB-12-08ED	1 1/16-12	1/2-14	49	27
GB-12-12ED	1 1/16-12	3/4-14	50.9	32
GB-12-16ED	1 1/16-12	1-11	53	41
GB-16-12ED	1 5/16-12	3/4-14	53	36
GB-16-16ED	1 5/16-12	1-11	54.7	41
GB-16-20ED	1 5/16-12	1 1/4-11	60	50
GB-20-16ED	1 5/8-12	1-11	59	46
GB-20-20ED	1 5/8-12	1 1/4-11	60	50
GB-24-24ED	1 7/8-12	1 1/2-11	67.1	55


GX JIC 37° Flare / BSPP Female



Reference
 Old PN: ADGP
 Parker: G4MX
 Eaton Winner: 5JG

PN	Threads		Dimensions	
	1	2	L	S
GX-04-02	7/16-20	1/8-28	30	17
GX-04-04	7/16-20	1/4-19	35	19
GX-05-04	1/2-20	1/4-19	35	19
GX-06-04	9/16-18	1/4-19	36	19
GX-06-06	9/16-18	3/8-19	37	22
GX-08-06	3/4-16	3/8-19	40	22
GX-08-08	3/4-16	1/2-14	45.5	30
GX-10-08	7/8-14	1/2-14	48	30
GX-12-12	1 1/16-12	3/4-14	52.5	36
GX-16-16	1 5/16-12	1-11	60	46


BJ-ED BSPP-ED / JIC 37° Flare Swivel



Reference
 Old PN: ADBJ-ED
 Parker: F642EDMX
 Eaton Winner: 2BJ-ED

PN	Threads		Dimensions	
	1	2	L	S
BJ-04-04ED	1/4-19	7/16-20	35	19
BJ-04-05ED	1/4-19	1/2-20	37	19
BJ-04-06ED	1/4-19	9/16-18	39	19
BJ-06-06ED	3/8-19	9/16-18	39	22
BJ-06-08ED	3/8-19	3/4-16	42	22
BJ-08-08ED	1/2-14	3/4-16	45.5	27
BJ-08-10ED	1/2-14	7/8-14	48.5	27
BJ-08-12ED	1/2-14	1 1/16-12	50	27
BJ-12-12ED	3/4-14	1 1/16-12	52	32
BJ-12-16ED	3/4-14	1 5/16-12	57	32
BJ-16-16ED	1-11	1 5/16-12	59	41
BJ-20-20ED	1 1/4-11	1 5/8-12	63.5	50
BJ-24-24ED	1 1/2-11	1 7/8-12	74	55


GM JIC 37° Flare / Metric - O-ring



Reference
 Old PN: ADGH
 Parker: F8OMX
 Eaton Winner: 1JH

PN	Threads		Dimensions	
	1	2	L	S
GM-04-10	7/16-20	M10-1.0	30	14
GM-04-12	7/16-20	M12-1.5	33.1	17
GM-04-14	7/16-20	M14-1.5	34.1	19
GM-05-12	1/2-20	M12-1.5	33.1	17
GM-06-14	9/16-18	M14-1.5	34.1	19
GM-06-16	9/16-18	M16-1.5	36	22
GM-08-18	3/4-16	M18-1.5	39.1	24
GM-08-22	3/4-16	M22-1.5	42	27
GM-10-22	7/8-14	M22-1.5	43.5	27
GM-12-22	1 1/16-12	M22-1.5	48	27
GM-12-27	1 1/16-12	M27-2.0	51	32
GM-16-33	1 5/16-12	M33-2.0	53	41
GM-20-42	1 5/8-12	M42-2.0	55	50
GM-24-48	1 7/8-12	M48-2.0	60	55


GM-ED JIC 37° Flare / Metric - ED



Reference
 Old PN: ADGM-ED
 Parker: F82EDMX
 Eaton Winner: 1JM-WD

PN	Threads		Dimensions	
	1	2	L	S
GM-04-10ED	7/16-20	M10-1.0	31	14
GM-04-12ED	7/16-20	M12-1.5	33.5	17
GM-04-14ED	7/16-20	M14-1.5	33.5	19
GM-06-14ED	9/16-18	M14-1.5	33.5	19
GM-08-16ED	9/16-18	M16-1.5	37.6	22
GM-08-18ED	3/4-16	M18-1.5	38.5	24
GM-08-22ED	3/4-16	M22-1.5	42	27
GM-10-22ED	7/8-14	M22-1.5	44.5	27
GM-12-27ED	1 1/16-12	M27-2.0	51	32
GM-16-33ED	1 5/16-12	M33-2.0	54.7	41
GM-20-42ED	1 5/8-12	M42-2.0	60	50
GM-24-48ED	1 7/8-12	M48-2.0	68.5	55


VGM JIC 37° Flare / Metric - O-ring 45° Elbow



Reference
Old PN: A6GH
Parker: V8OMX
Eaton Winner: 1JH4

PN	Threads		Dimensions			
	1	2	M	L	S	
VGM-04-10	7/16-20	M10-1.0	18.5	26.6	12	
VGM-04-14	7/16-20	M14-1.5	20	29.1	14	
VGM-05-12	1/2-20	M12-1.5	19.5	29.1	14	
VGM-06-14	9/16-18	M14-1.5	21	29.1	14	
VGM-06-16	9/16-18	M16-1.5	22.5	30	17	
VGM-08-16	3/4-16	M16-1.5	25	33.1	19	
VGM-08-22	3/4-16	M22-1.5	26.5	36.3	22	
VGM-10-22	7/8-14	M22-1.5	28	36.3	22	
VGM-12-27	1 1/16-12	M27-2.0	32.5	44.8	27	
VGM-16-33	1 5/16-12	M33-2.0	37.5	44.3	33	


WGM JIC 37° Flare / Metric - O-ring 90° Elbow



Reference
Old PN: A5GH
Parker: C8OMX
Eaton Winner: 1JH9

PN	Threads		Dimensions			
	1	2	N	L	S	
WGM-04-10	7/16-20	M10-1.0	22.6	27.1	11	
WGM-05-12	1/2-20	M12-1.5	24.1	30.5	14	
WGM-06-14	9/16-18	M14-1.5	26.9	33.5	14	
WGM-08-16	3/4-16	M16-1.5	31.8	38	19	
WGM-08-18	3/4-16	M18-1.5	31.8	38	19	
WGM-10-18	7/8-14	M18-1.5	36.8	41.5	22	
WGM-10-22	7/8-14	M22-1.5	36.8	42.5	22	
WGM-12-22	1 1/16-12	M22-1.5	42.2	45	27	
WGM-12-27	1 1/16-12	M27-2.0	42.2	51	27	
WGM-16-33	1 5/16-12	M33-2.0	46	53	33	


TBGM Branch Tee JIC 37° Flare / Metric - O-ring



Reference
Old PN: T-GHG
Parker: S8OMX
Eaton Winner: AJHJ

PN	Threads		Dimensions			
	1,2	3	M	M4	S	
TBGM-04-04-10	7/16-20	M10-1.0	22.6	27.1	11	
TBGM-06-06-14	9/16-18	M14-1.5	26.9	33.5	14	
TBGM-08-08-16	3/4-16	M16-1.5	31.8	38	19	
TBGM-10-10-22	7/8-14	M22-1.5	36.8	42.5	22	
TBGM-12-12-27	1 1/16-12	M27-2.0	42.2	51	27	


TRGM Run Tee JIC 37° Flare / Metric - O-ring



Reference
Old PN: T-GGH
Parker: R8OMX
Eaton Winner: AJJH

PN	Threads		Dimensions			
	1,3	2	M	M4	S	
TRGM-04-10-04	7/16-20	M10-1.0	22.6	27.1	11	
TRGM-06-14-06	9/16-18	M14-1.5	26.9	33.5	14	
TRGM-08-16-08	3/4-16	M16-1.5	31.8	38	19	
TRGM-10-22-10	7/8-14	M18-1.5	36.8	41.5	22	
TRGM-12-27-12	1 1/16-12	M27-2.0	42.2	51	27	


MJ-ED Metric - ED / JIC 37° Flare Swivel



Reference
Old PN: ADMJ-ED
Parker: F682EDMX
Eaton Winner: 2MJ-ED

PN	Threads		Dimensions	
	1	2	L	S
MJ-10-04ED	M10-1.0	7/16-20	30	12
MJ-12-05ED	M12-1.0	1/2-20	36.5	17
MJ-14-06ED	M14-1.5	9/16-18	38	19
MJ-16-08ED	M16-1.5	3/4-14	42.5	22
MJ-22-10ED	M22-1.5	7/8-14	48.5	27
MJ-27-12ED	M27-2.0	1 1/16-12	52	32
MJ-33-16ED	M33-2.0	1 5/16-12	59	41


VGH JIC 37° Flare / Metric - ISO 6149 45° Elbow



Reference
Old PN: -
Parker: V87OMX
Eaton Winner: -

PN	Threads		Dimensions		
	1	2	M	L	S
VGH-04-10	7/16-20	M10-1.0	18.5	26.6	12
VGH-04-14	7/16-20	M14-1.5	20	29.1	14
VGH-05-12	1/2-20	M12-1.5	19.5	29.1	14
VGH-06-14	9/16-18	M14-1.5	21	29.1	14
VGH-06-16	9/16-18	M16-1.5	22.5	30	17
VGH-08-16	3/4-16	M16-1.5	25	33.1	19
VGH-08-22	3/4-16	M22-1.5	26.5	36.3	22
VGH-10-22	7/8-14	M22-1.5	28	36.3	22
VGH-12-27	1 1/16-12	M27-2.0	32.5	44.8	27
VGH-16-33	1 5/16-12	M33-2.0	37.5	44.3	33
VGH-20-42	1 5/8-12	M42-2.0	40.5	45.8	41


GH JIC 37° Flare / Metric - ISO 6149



Reference
Old PN: ADGH-ISO
Parker: F87OMX
Eaton Winner:

PN	Threads		Dimensions	
	1	2	L	S
GH-04-10	7/16-20	M10-1.0	30	14
GH-04-12	7/16-20	M12-1.5	32	17
GH-04-14	7/16-20	M14-1.5	32	19
GH-05-12	1/2-20	M12-1.5	32	17
GH-06-14	9/16-18	M14-1.5	24	19
GH-06-16	9/16-18	M16-1.5	35.5	22
GH-08-18	3/4-16	M18-1.5	39	24
GH-08-22	3/4-16	M22-1.5	39	27
GH-10-22	7/8-14	M22-1.5	42.5	27
GH-12-22	1 1/16-12	M22-1.5	46	27
GH-12-27	1 1/16-12	M27-2.0	48.5	32
GH-16-33	1 5/16-12	M33-2.0	50.5	41
GH-20-42	1 5/8-12	M42-2.0	54	50
GH-24-48	1 7/8-12	M48-2.0	59	55


WGH JIC 37° Flare / Metric - ISO 6149 90° Elbow



Reference
Old PN: -
Parker: C87OMX
Eaton Winner: -

PN	Threads		Dimensions		
	1	2	N	L	S
WGH-04-10	7/16-20	M10-1.0	22.6	27.1	11
WGH-05-12	1/2-20	M12-1.5	24.1	30.5	14
WGH-06-14	9/16-18	M14-1.5	26.9	33.5	14
WGH-08-16	3/4-16	M16-1.5	31.8	38	19
WGH-08-18	3/4-16	M18-1.5	31.8	38	19
WGH-10-18	7/8-14	M18-1.5	36.8	41.5	22
WGH-10-22	7/8-14	M22-1.5	36.8	42.5	22
WGH-12-22	1 1/16-12	M22-1.5	42.2	45	27
WGH-12-27	1 1/16-12	M27-2.0	42.2	51	27
WGH-16-33	1 5/16-12	M33-2.0	46	53	33

TBGH Branch Tee JIC 37° Flare / Metric - ISO 6149




Reference

Old PN: -
Parker: S87OMX
Eaton Winner: -

PN	Threads		Dimensions		
	1,2	3	M	M4	S
TBGH-04-04-10	7/16-20	M10-1.0	22.6	27.1	11
TBGH-05-05-12	1/2-20	M12-1.5	24.1	30.5	14
TBGH-06-06-14	9/16-18	M14-1.5	26.9	33.5	14
TBGH-08-08-16	3/4-16	M16-1.5	31.8	38	19
TBGH-10-10-22	7/8-14	M22-1.5	36.8	42.5	22
TBGH-12-12-27	1 1/16-12	M27-2.0	42.2	51	27
TBGH-16-16-33	1 5/16-12	M33-2.0	46	53	33

TRGH Run Tee JIC 37° Flare / Metric - ISO 6149



Reference

Old PN: -
Parker: R87OMX
Eaton Winner: -

PN	Threads		Dimensions		
	1,3	2	M	M4	S
TRGH-04-10-04	7/16-20	M10-1.0	22.6	27.1	11
TRGH-05-12-05	1/2-20	M12-1.5	24.1	30.5	14
TRGH-06-14-06	9/16-18	M14-1.5	26.9	33.5	14
TRGH-08-16-08	3/4-16	M16-1.5	31.8	38	19
TRGH-10-22-10	7/8-14	M18-1.5	36.8	41.5	22
TRGH-12-27-12	1 1/16-12	M27-2.0	42.2	51	27
TRGH-16-33-16	1 5/16-12	M33-2.0	46	53	33

GFL JIC 37° Flare / Flange Code 61




Reference

Old PN: -
Parker: 4AH3
Eaton Winner: 1JFL

PN	Threads		Dimensions	
	1	D	L	S
GFL-12-12	1 1/16-12	38.1	94	27
GFL-16-16	1 5/16-12	44.5	104	35
GFL-20-20	1 5/8-12	50.8	106	43
GFL-24-24	1 7/8-12	60.35	126	50

VGFL JIC 37° Flare / Flange Code 61 - 45° Elbow




Reference

Old PN: -
Parker: 4FH3
Eaton Winner: 1JFL4

PN	Threads		Dimensions		
	1	D	E	F	S
VGFL-12-12	1 1/16-12	38.1	24	86	27
VGFL-16-16	1 5/16-12	44.5	30	98	35
VGFL-20-20	1 5/8-12	50.8	34	125	43
VGFL-24-24	1 7/8-12	60.35	40	145	50

WGFL JIC 37° Flare / Flange Code 61 - 90° Elbow




Reference

Old PN: -
Parker: 4NH3
Eaton Winner: 1JFL9

PN	Threads		Dimensions		
	1	D	E	F	S
WGFL-12-12	1 1/16-12	38.1	50	80	27
WGFL-12-16	1 1/16-12	44.5	62	82	27
WGFL-16-16	1 5/16-12	44.5	62	100	35
WGFL-16-20	1 5/16-12	50.8	63	100	35
WGFL-20-20	1 5/8-12	50.8	74	120	43
WGFL-24-24	1 7/8-12	60.35	85	140	50

GFS JIC 37° Flare / Flange Code 62



Reference


Old PN:

Parker: 6AH3

Eaton Winner: 1JFS

PN	Threads		Dimensions		
	1	D	L	S	
GFS-12-12	1 1/16-12	41.3	97	27	
GFS-16-16	1 5/16-12	47.65	104	35	
GFS-20-20	1 5/8-12	54	106	43	
GFS-24-24	1 7/8-12	63.5	126	50	

VGFS JIC 37° Flare / Flange Code 62 - 45° Elbow



Reference


Old PN:

Parker: 6FH3

Eaton Winner: 1JFS4

PN	Threads		Dimensions			
	1	D	E	F	S	
VGFS-12-12	1 1/16-12	41.3	27	86	27	
VGFS-16-16	1 5/16-12	47.65	32	98	35	
VGFS-20-20	1 5/8-12	54	38	125	43	
VGFS-24-24	1 7/8-12	63.5	44	145	50	

WGFS JIC 37° Flare / Flange Code 62 - 90° Elbow



Reference


Old PN:

Parker: 6NH3

Eaton Winner: 1JFS9

PN	Threads		Dimensions			
	1	D	E	F	S	
WGFS-12-12	1 1/16-12	41.3	58	80	27	
WGFS-16-16	1 5/16-12	47.65	70	100	35	
WGFS-20-20	1 5/8-12	54	90	120	43	
WGFS-24-24	1 7/8-12	63.5	104	140	50	

TSGJ Pressure Survey Adapters 37° Flare



Reference


Old PN:

Parker: XHX6G5TP

Eaton Winner:

PN	Threads	Dimensions	
		L	S
TSGJ-04	7/16-20	50	27
TSGJ-06	9/16-18	53	27
TSGJ-08	3/4-16	58	27
TSGJ-10	7/8-14	63.5	28.5
TSGJ-12	1 1/16-12	67.5	32
TSGJ-16	1 5/16-12	76	38
TSGJ-20	1 5/8-12	85	46
TSGJ-24	1 7/8-12	94	50

PLG JIC 37° Flare Plug



Reference

Old PN: PLUG-G


Parker: PNTX

Eaton Winner: 4J

US Spec: 2408

PN	Threads	Dimensions	
		L	S
PLG-04	7/16-20	20.5	12
PLG-05	1/2-20	20.5	14
PLG-06	9/16-18	21.5	17
PLG-08	3/4-16	24	22
PLG-10	7/8-14	28	27
PLG-12	1 1/16-12	32.5	32
PLG-16	1 5/16-12	34	38
PLG-20	1 5/8-12	37	46
PLG-24	1 7/8-12	42	50
PLG-32	2 1/2-12	52	65


CPG 37° Flare Cap



Reference
Old PN: CAP-J
Parker: -
Eaton Winner: -
US Spec: 0304-C

PN	Threads	Dimensions	
		L	S
CPG-04	7/16-20	15.1	14
CPG-05	1/2-20	15.5	17
CPG-06	9/16-18	15.9	19
CPG-08	3/4-16	19	22
CPG-10	7/8-14	21.4	27
CPG-12	1 1/16-12	23	32
CPG-16	1 5/16-12	25.8	38
CPG-20	1 5/8-12	27	50
CPG-24	1 7/8-12	30.2	55
CPG-32	2 1/2-12	36.5	75


LNJ NUT JIC (HEX)



Reference
Old PN:
Parker: BTX
Eaton Winner: NB200
US Spec: 0318

PN	Threads	Dimensions		
		D	L	S
LNJ-04	7/16-20	7.7	15.8	14
LNJ-05	1/2-20	9.45	17.3	17
LNJ-06	9/16-18	11.15	18.5	19
LNJ-08	3/4-16	14.45	21.6	22
LNJ-10	7/8-14	17.7	24.9	27
LNJ-12	1 1/16-12	21.15	26.2	32
LNJ-12-D20	1 1/16-12	21.85	26.2	32
LNJ-16	1 5/16-12	27.6	28.7	41
LNJ-20	1 5/8-12	34.15	31.2	50
LNJ-24	1 7/8-12	41	36.1	60
LNJ-32	2 1/2-12	54.95	44.5	75


CPG-T 37° Flare Cap 2 - Piece Type



Reference
Old PN: PLUG-J
Parker: FNTX
Eaton Winner: 9J

PN	Threads	Dimensions	
		L	S
CPG-04T	7/16-20	20	14
CPG-05T	1/2-20	21.5	17
CPG-06T	9/16-18	23	19
CPG-08T	3/4-16	26	22
CPG-10T	7/8-14	30	27
CPG-12T	1 1/16-12	32	32
CPG-16T	1 5/16-12	34	38
CPG-20T	1 5/8-12	37	50
CPG-24T	1 7/8-12	43	60
CPG-32T	2 1/2-12	52	75


JSL Sleeve 37° Flare - Inch



Reference
Old PN:
Parker: TX (INCH)
Eaton Winner: NB300
US Spec: 0319

PN	Threads	Dimensions	
		D	L
JSL-04	7/16-20	6.48	10.4
JSL-05	1/2-20	8.08	11.2
JSL-06	9/16-18	9.65	12.7
JSL-08	3/4-16	12.83	14.2
JSL-10	7/8-14	16.03	16.8
JSL-12	1 1/16-12	19.2	17.3
JSL-16	1 5/16-12	25.55	19.8
JSL-20	1 5/8-12	32	23.1
JSL-24	1 7/8-12	38.35	28.4
JSL-32	2 1/2-12	51.16	30.2


JSLM Sleeve 37° Flare - Metric



Reference
Old PN:
Parker: TX (METRIC)
Eaton Winner: NB500

PN	Threads	Dimensions	
		D	L
JSLM06	7/16-20	6.18	10.4
JSLM08	1/2-20	8.18	11.2
JSLM10	9/16-18	10.18	12.7
JSLM12	3/4-16	12.18	14.2
JSLM16	7/8-14	16.2	16.8
JSLM20	1 1/16-12	20.2	17.3
JSLM25	1 5/16-12	25.2	19.8
JSLM30	1 5/8-12	30.3	23.1
JSLM32	1 5/8-12	32.3	23.1
JSLM38	1 7/8-12	38.4	28.4
JSLM50	2 1/2-12	50.4	30.2

HPN Hexagon Head SAE-ORB Plug



Reference
Old PN: PLUG-N
Parker: P50N
Eaton Winner: 40
US Spec: SAE 090109A

PN	Threads	Dimensions	
		L	S
HPN-04	7/16-20	17	14
HPN-05	1/2-20	17	17
HPN-06	9/16-18	18.5	19
HPN-08	3/4-16	20.3	24
HPN-10	7/8-14	23.6	27
HPN-12	1 1/16-12	27.7	32
HPN-16	1 5/16-12	28.4	38
HPN-20	1 5/8-12	30.5	50
HPN-24	1 7/8-12	32.3	55
HPN-32	2 1/2-12	36.3	70


BLNJ Bulkhead Locknut



Reference
Old PN:
Parker: WLN
Eaton Winner: 8J
US Spec: SAE 070118

PN	Threads	Dimensions	
		H	S
BLNJ-04	7/16-20	7.1	17
BLNJ-05	1/2-20	7.1	19
BLNJ-06	9/16-18	7.1	22
BLNJ-08	3/4-16	7.9	24
BLNJ-10	7/8-14	9.1	30
BLNJ-12	1 1/16-12	10.4	36
BLNJ-16	1 5/16-12	10.4	41
BLNJ-20	1 5/8-12	10.4	50
BLNJ-24	1 7/8-12	10.4	55
BLNJ-32	2 1/2-12	10.4	70

HHPN Hexagon Socket SAE-ORB Plug



Reference
Old PN:
Parker: HP50N
Eaton Winner: 40N
US Spec: SAE 090109B

PN	Threads	Dimensions	
		L	S
HHPN-02	5/16-24	10.2	1/8
HHPN-03	3/8-24	10.2	1/8
HHPN-04	7/16-20	11.9	3/16
HHPN-05	1/2-20	11.9	3/16
HHPN-06	9/16-18	12.7	1/4
HHPN-08	3/4-16	14.7	5/16
HHPN-10	7/8-14	16.5	3/8
HHPN-12	1 1/16-12	19.5	9/16
HHPN-16	1 5/16-12	19.5	5/8
HHPN-20	1 5/8-12	19.5	3/4
HHPN-24	1 7/8-12	19.5	3/4
HHPN-32	2 1/2-12	19.5	3/4