

ADAPTER NPT

MALE NPT

LL 	VLL 	WLL 	TL 
B2	B2	B2	B3

MALE NPT / FEMALE NPT

LP 	LPB 	WLP 	VLP 	TBLP 	TRLP 
B3	B4	B4	B4	B4	B5

FEMALE NPT

PP 	WPP 	VPP 	TP 
B5	B6	B6	B6

MALE NPT / NPSM SWIVEL

LU 	WLU 	VLU 
B7	B7	B8

FEMALE NPT / NPSM SWIVEL

PU 	WPU 	VPU 
B8	B9	B9

MALE NPT / FEMALE UNF

LFN 
B9

MALE SAE O-RING / FEMALE NPT

NP 
B10

MALE SAE O-RING / NPSM SWIVEL

NU 	VNU 	WNU 
B10	B10	B11


MALE NPT / FEMALE ISO 6149

LFM 
B11

PLUG / CAP

PLL 	HPLL 	CPL 
B11	B11	B12

LL Pipe Nipple NPT / NPT




Reference

Old PN: ADLL
Parker: FF
Eaton Winner: 1N
US Spec: 5404

PN	Threads		Dimensions	
	1	2	L	S
LL-02-02	1/8-27	1/8-27	27	12
LL-02-04	1/8-27	1/4-18	32	17
LL-02-06	1/8-27	3/8-18	32	19
LL-02-08	1/8-27	1/2-14	38.5	22
LL-04-04	1/4-18	1/4-18	36.8	17
LL-04-06	1/4-18	3/8-18	36.8	19
LL-04-08	1/4-18	1/2-14	43	22
LL-04-12	1/4-18	3/4-14	45	27
LL-06-06	3/8-18	3/8-18	36.8	19
LL-06-08	3/8-18	1/2-14	43	22
LL-06-12	3/8-18	3/4-14	50	27
LL-06-16	3/8-18	1-11.5	50	35
LL-08-08	1/2-14	1/2-14	48	22
LL-08-12	1/2-14	3/4-14	50	27
LL-08-16	1/2-14	1-11.5	55	35
LL-12-12	3/4-14	3/4-14	50	27
LL-12-16	3/4-14	1-11.5	55	35
LL-16-16	1-11.5	1-11.5	59.4	35
LL-16-20	1-11.5	1 1/4-11.5	62	46
LL-16-24	1-11.5	1 1/2-11.5	65	50
LL-20-20	1 1/4-11.5	1 1/4-11.5	63	46
LL-20-24	1 1/4-11.5	1 1/2-11.5	65.5	50
LL-24-24	1 1/2-11.5	1 1/2-11.5	66.3	50
LL-24-32	1 1/2-11.5	2-11.5	71	65
LL-32-32	2-11.5	2-11.5	71.6	65

WLL Pipe Nipple 90° Elbow NPT / NPT




Reference

Old PN: A5LL
Parker: CR
Eaton Winner: 1N9
US Spec: 5500

PN	Threads		Dimensions	
	1	2	L	S
WLL-02-02	1/8-27	1/8-27	21	11
WLL-04-04	1/4-18	1/4-18	25.5	14
WLL-06-06	3/8-18	3/8-18	29	17
WLL-08-08	1/2-14	1/2-14	34.5	22
WLL-12-12	3/4-14	3/4-14	41	27
WLL-16-16	1-11.5	1-11.5	48	33
WLL-20-20	1 1/4-11.5	1 1/4-11.5	57	41
WLL-24-24	1 1/2-11.5	1 1/2-11.5	64	48
WLL-32-32	2-11.5	2-11.5	75	63


VLL Pipe Nipple 45° Elbow NPT / NPT



Reference


Old PN: A6LL
Parker:
Eaton Winner: 1N4
US Spec: 5501

PN	Threads		Dimensions	
	1	2	L	S
VLL-02-02	1/8-27	1/8-27	18	11
VLL-04-04	1/4-18	1/4-18	22	14
VLL-06-06	3/8-18	3/8-18	25	17
VLL-08-08	1/2-14	1/2-14	28	22
VLL-12-12	3/4-14	3/4-14	32	27
VLL-16-16	1-11.5	1-11.5	38	33

TL Male Tee NPT

Reference
 Old PN: T-LLL
 Parker: RRS
 Eaton Winner: AN
 US Spec: 5600


PN	Threads	Dimensions	
	1,2,3	L1	S
TL-02-02-02	1/8-27	21	11
TL-04-04-04	1/4-18	25.5	14
TL-06-06-06	3/8-18	29	17
TL-08-08-08	1/2-14	34.5	22
TL-12-12-12	3/4-14	41	27
TL-16-16-16	1-11.5	48	33
TL-20-20-20	1 1/4-11.5	57	41
TL-24-24-24	1 1/2-11.5	64	48
TL-32-32-32	2-11.5	75	63

LP Expander Adapter NPT / Female NPT

Reference
 Old PN: ADLP
 Parker: FG
 Eaton Winner: 5N
 US Spec: 5405

PN	Threads		Dimensions	
	1	2	L	S
LP-02-02	1/8-27	1/8-27	26.4	17
LP-02-04	1/8-27	1/4-18	30.7	19
LP-02-06	1/8-27	3/8-18	32	22
LP-02-08	1/8-27	1/2-14	38	28.5
LP-04-04	1/4-18	1/4-18	35.3	19
LP-04-06	1/4-18	3/8-18	36.6	22
LP-04-08	1/4-18	1/2-14	42.7	28.5
LP-04-12	1/4-18	3/4-14	45	35
LP-06-06	3/8-18	3/8-18	36.6	22
LP-06-08	3/8-18	1/2-14	42.7	28.5
LP-06-12	3/8-18	3/4-14	45	35
LP-06-16	3/8-18	1-11.5	51	41
LP-08-08	1/2-14	1/2-14	47.5	28.5
LP-08-12	1/2-14	3/4-14	49	35
LP-08-16	1/2-14	1-11.5	55.4	41
LP-12-12	3/4-14	3/4-14	49	35
LP-12-16	3/4-14	1-11.5	55.4	41
LP-16-16	1-11.5	1-11.5	60.2	41
LP-16-20	1-11.5	1 1/4-11.5	62.5	50
LP-16-24	1-11.5	1 1/2-11.5	63.5	60
LP-20-20	1 1/4-11.5	1 1/4-11.5	63.2	50
LP-20-24	1 1/4-11.5	1 1/2-11.5	63.5	60
LP-24-24	1 1/2-11.5	1 1/2-11.5	64.3	60
LP-32-32	2-11.5	2-11.5	67.6	75


LPB Reducer Bushings NPT / Female NPT



Reference
 Old PN: ADLP
 Parker: PTR
 Eaton Winner: 5N
 US Spec: 5506

PN	Threads		Dimensions	
	1	2	L	S
LPB-04-02	1/4-18	1/8-27	21.6	17
LPB-06-02	3/8-18	1/8-27	21.6	19
LPB-08-02	1/2-14	1/8-27	28	22
LPB-06-04	3/8-18	1/4-18	21.6	19
LPB-08-04	1/2-14	1/4-18	28	22
LPB-12-04	3/4-14	1/4-18	30	27
LPB-08-06	1/2-14	3/8-18	28	22
LPB-12-06	3/4-14	3/8-18	30	27
LPB-16-06	1-11.5	3/8-18	34.5	35
LPB-12-08	3/4-14	1/2-14	30	27
LPB-16-08	1-11.5	1/2-14	34.5	35
LPB-20-08	1 1/4-11.5	1/2-14	37.5	46
LPB-16-12	1-11.5	3/4-14	34.5	35
LPB-20-12	1 1/4-11.5	3/4-14	37.5	46
LPB-24-12	1 1/2-11.5	3/4-14	40	50
LPB-20-16	1 1/4-11.5	1-11.5	37.5	46
LPB-24-16	1 1/2-11.5	1-11.5	40	50
LPB-32-16	2-11.5	1-11.5	44.5	65
LPB-24-20	1 1/2-11.5	1 1/4-11.5	40	50
LPB-32-20	2-11.5	1 1/4-11.5	44.5	65
LPB-32-24	2-11.5	1 1/2-11.5	44.5	65


WLP Street 90° Elbow NPT / Female NPT



Reference
 Old PN: ASLP
 Parker: CD
 Eaton Winner: 5N9
 US Spec: 5502


PN	Threads		Dimensions		
	1	2	N	N1	S
WLP-02-02	1/8-27	1/8-27	20	17	14
WLP-04-04	1/4-18	1/4-18	27.7	22	19
WLP-06-06	3/8-18	3/8-18	33.5	26	22
WLP-08-08	1/2-14	1/2-14	41	31.2	27
WLP-12-12	3/4-14	3/4-14	47	35	33
WLP-16-16	1-11.5	1-11.5	50	41.1	41
WLP-20-20	1 1/4-11.5	1 1/4-11.5	60.5	48	50
WLP-24-24	1 1/2-11.5	1 1/2-11.5	64	50	55
WLP-32-32	2-11.5	2-11.5	75	62	65

VLP Street 45° Elbow NPT / Female NPT




Reference
 Old PN: A6LP
 Parker: CD45
 Eaton Winner: 5N4
 US Spec: 5505

PN	Threads		Dimensions		
	1	2	N3	N4	S
VLP-02-02	1/8-27	1/8-27	12	18.5	14
VLP-04-04	1/4-18	1/4-18	16	25	19
VLP-06-06	3/8-18	3/8-18	18.5	27	22
VLP-08-08	1/2-14	1/2-14	23	32	27
VLP-12-12	3/4-14	3/4-14	25	35	33
VLP-16-16	1-11.5	1-11.5	42	46	41

TBLP Branch Tee NPT**Reference**


Old PN: T-PLP
Parker: MMS
Eaton Winner: JN
US Spec: 5604

PN	Threads		Dimensions		
	1,2	3	N	N1	S
TBLP-02-02-02	1/8-27	1/8-27	20	17	14
TBLP-04-04-04	1/4-18	1/4-18	27.7	22	19
TBLP-06-06-06	3/8-18	3/8-18	31	26	22
TBLP-08-08-08	1/2-14	1/2-14	37.5	31.2	27
TBLP-12-12-12	3/4-14	3/4-14	42	35	33
TBLP-16-16-16	1-11.5	1-11.5	50	41	41

TRLP Run Tee NPT**Reference**

Old PN: T-LPP
Parker: MRO
Eaton Winner: HN
US Spec: 5602


PN	Threads		Dimensions		
	1	2,3	N	N1	S
TRLP-02-02-02	1/8-27	1/8-27	20	17	14
TRLP-04-04-04	1/4-18	1/4-18	27.7	22	19
TRLP-06-06-06	3/8-18	3/8-18	31	26	22
TRLP-08-08-08	1/2-14	1/2-14	37.5	31.2	27
TRLP-12-12-12	3/4-14	3/4-14	42	35	33
TRLP-16-16-16	1-11.5	1-11.5	50	41	41
TRLP-20-20-20	1 1/4-11.5	1 1/4-11.5	60.5	48	48
TRLP-24-24-24	1 1/2-11.5	1 1/2-11.5	67	53	63

PP Pipe Coupling NPT / NPT**Reference**

Old PN: ADPP
Parker: GG
Eaton Winner: 7N
US Spec: 5000

PN	Threads		Dimensions	
	1	2	L	S
PP-02-02	1/8-27	1/8-27	19	17
PP-02-04	1/8-27	1/4-18	24	19
PP-02-06	1/8-27	3/8-18	26	22
PP-04-04	1/4-18	1/4-18	28.7	19
PP-04-06	1/4-18	3/8-18	28.7	22
PP-04-08	1/4-18	1/2-14	35	28.5
PP-06-06	3/8-18	3/8-18	28.7	22
PP-06-08	3/8-18	1/2-14	38	28.5
PP-08-08	1/2-14	1/2-14	38	28.5
PP-08-12	1/2-14	3/4-14	39	35
PP-08-16	1/2-14	1-11.5	45	41
PP-12-12	3/4-14	3/4-14	39	35
PP-12-16	3/4-14	1-11.5	45	41
PP-16-16	1-11.5	1-11.5	48	41
PP-16-20	1-11.5	1 1/4-11.5	49	50
PP-20-20	1 1/4-11.5	1 1/4-11.5	49	50
PP-24-24	1 1/2-11.5	1 1/2-11.5	49	60
PP-32-32	2-11.5	2-11.5	50	75

WPP Female Pipe Elbow NPT / NPT




Reference

Old PN: A5PP
Parker: DD
Eaton Winner: 7N9
US Spec: 5504

PN	Threads		Dimensions	
	1	2	N1	S
WPP-02-02	1/8-27	1/8-27	16.8	14
WPP-04-04	1/4-18	1/4-18	22.4	19
WPP-06-06	3/8-18	3/8-18	26	24
WPP-08-08	1/2-14	1/2-14	31.2	27
WPP-12-12	3/4-14	3/4-14	34.5	32
WPP-16-16	1-11.5	1-11.5	41.1	40
WPP-20-20	1 1/4-11.5	1 1/4-11.5	45	54
WPP-24-24	1 1/2-11.5	1 1/2-11.5	50.5	57
WPP-32-32	2-11.5	2-11.5	61	68

TP Female Tee NPT




Reference

Old PN: T-PPP
Parker: MMO
Eaton Winner: GN
US Spec: 5605

PN	Threads		Dimensions	
	1, 2, 3		N1	S
TP-02-02-02	1/8-27		16.8	14
TP-04-04-04	1/4-18		22.4	19
TP-06-06-06	3/8-18		26	24
TP-08-08-08	1/2-14		31.2	27
TP-12-12-12	3/4-14		34.5	32
TP-16-16-16	1-11.5		41.1	40
TP-20-20-20	1 1/4-11.5		45	54
TP-24-24-24	1 1/2-11.5		50.5	57
TP-32-32-32	2-11.5		61	68


VPP Female Pipe 45° Elbow NPT / NPT



Reference


Old PN: A6PP
Parker: DD45
Eaton Winner: 7N4
US Spec: 5505

PN	Threads		Dimensions	
	1	2	N1	S
VPP-02-02	1/8-27	1/8-27	12.7	14
VPP-04-04	1/4-18	1/4-18	17.5	19
VPP-06-06	3/8-18	3/8-18	19	22
VPP-08-08	1/2-14	1/2-14	24	27
VPP-12-12	3/4-14	3/4-14	25.4	33
VPP-16-16	1-11.5	1-11.5	30.2	41

LU Pipe Adapter NPT / NPSM Swivel**Reference**

Old PN:
Parker: 0107
Eaton Winner: 2NU
US Spec: 1404


PN	Threads		Dimensions		
	1	2 (NPSM)	L	S	S1
LU-02-02	1/8-27	1/8-27	28.7	12	14
LU-02-04	1/8-27	1/4-18	31.5	14	19
LU-04-02	1/4-18	1/8-27	35	14	14
LU-04-04	1/4-18	1/4-18	36.5	17	19
LU-04-06	1/4-18	3/8-18	36.5	19	22
LU-04-08	1/4-18	1/2-14	36.5	22	27
LU-06-04	3/8-18	1/4-18	38	19	19
LU-06-06	3/8-18	3/8-18	42.4	19	22
LU-06-08	3/8-18	1/2-14	44	22	27
LU-08-04	1/2-14	1/4-18	45	22	19
LU-08-06	1/2-14	3/8-18	43	22	22
LU-08-08	1/2-14	1/2-14	49.3	22	27
LU-08-12	1/2-14	3/4-14	52	27	32
LU-12-08	3/4-14	1/2-14	48.5	27	27
LU-12-12	3/4-14	3/4-14	53.3	27	32
LU-12-16	3/4-14	1-11.5	55	35	38
LU-16-16	1-11.5	1-11.5	60	35	38
LU-16-20	1-11.5	1 1/4-11.5	60	46	50
LU-20-16	1 1/4-11.5	1-11.5	64	46	38
LU-20-20	1 1/4-11.5	1 1/4-11.5	64	46	50
LU-20-24	1 1/4-11.5	1 1/2-11.5	65	50	55
LU-24-24	1 1/2-11.5	1 1/2-11.5	65	50	55
LU-32-32	2-11.5	2-11.5	68.1	65	70

WLU Pipe Elbow Adapter NPT / NPSM Swivel**Reference**

Old PN:
Parker: 2107
Eaton Winner: 2NU9
US Spec: 1501

PN	Threads		Dimensions		
	1	2 (NPSM)	N1	W3	S
WLU-02-02	1/8-27	1/8-27	21	22	11
WLU-04-04	1/4-18	1/4-18	25.5	27	14
WLU-04-06	1/4-18	3/8-18	26	32	17
WLU-06-04	3/8-18	1/4-18	29	30	17
WLU-06-06	3/8-18	3/8-18	32.5	32	19
WLU-06-08	3/8-18	1/2-14	32.5	34	19
WLU-08-06	1/2-14	3/8-18	34.5	34	22
WLU-08-08	1/2-14	1/2-14	34.5	36	22
WLU-08-12	1/2-14	3/4-14	41	42	27
WLU-12-08	3/4-14	1/2-14	41	38	27
WLU-12-12	3/4-14	3/4-14	41	42	27
WLU-12-16	3/4-14	1-11.5	48	44	33
WLU-16-16	1-11.5	1-11.5	48	50	33
WLU-20-20	1 1/4-11.5	1 1/4-11.5	57	54	41
WLU-24-24	1 1/2-11.5	1 1/2-11.5	64	60	48
WLU-32-32	2-11.5	2-11.5	75	70	63


VLU Pipe 45°Elbow NPT / NPSM Swivel



Reference
Old PN:
Parker: 3107
Eaton Winner: 2NU4
US Spec: 1503

PN	Threads		Dimensions		
	1	2 (NPSM)	N	W2	S
VLU-02-02	1/8-27	1/8-27	18	20	11
VLU-04-04	1/4-18	1/4-18	22	24	14
VLU-06-06	3/8-18	3/8-18	25	28	19
VLU-06-08	3/8-18	1/2-14	25	30	19
VLU-08-06	1/2-14	3/8-18	28	28	22
VLU-08-08	1/2-14	1/2-14	28	30	22
VLU-08-12	1/2-14	3/4-14	32	35	27
VLU-12-08	3/4-14	1/2-14	32	32	27
VLU-12-12	3/4-14	3/4-14	32	35	27
VLU-16-16	1-11.5	1-11.5	38	40	33
VLU-20-20	1 1/4-11.5	1 1/4-11.5	42.5	42	41
VLU-24-24	1 1/2-11.5	1 1/2-11.5	45	45	48
VLU-32-32	2-11.5	2-11.5	54	50	65

PU Female Pipe NPT / NPSM Swivel




Reference
Old PN: ADPU
Parker: 0207
Eaton Winner: 7NU
US Spec: 1405

PN	Threads		Dimensions		
	1	2 (NPSM)	L	S	S1
PU-02-02	1/8-27	1/8-27	26	14	14
PU-02-04	1/8-27	1/4-18	33	17	19
PU-04-02	1/4-18	1/8-27	33	19	14
PU-04-04	1/4-18	1/4-18	36	19	19
PU-06-04	3/8-18	1/4-18	38	22	19
PU-06-06	3/8-18	3/8-18	38	22	22
PU-06-08	3/8-18	1/2-14	41	22	27
PU-08-04	1/2-14	1/4-18	43	27	19
PU-08-06	1/2-14	3/8-18	43	27	22
PU-08-08	1/2-14	1/2-14	45	27	27
PU-12-08	3/4-14	1/2-14	48	32	27
PU-12-12	3/4-14	3/4-14	58	32	32
PU-16-16	1-11.5	1-11.5	60	41	38
PU-20-20	1 1/4-11.5	1 1/4-11.5	62	50	50
PU-24-24	1 1/2-11.5	1 1/2-11.5	62	55	55
PU-32-32	2-11.5	2-11.5	65	70	70




WPU Female Pipe Elbow NPT / NPSM Swivel



Reference
Old PN: ASPU
Parker: 2207
Eaton Winner: 7NU9
US Spec: 1502

PN	Threads		Dimensions		
	1	2 (NPSM)	N3	W3	S
WPU-02-02	1/8-27	1/8-27	17	25	14
WPU-04-04	1/4-18	1/4-18	22	30	19
WPU-06-06	3/8-18	3/8-18	26	32	22
WPU-08-08	1/2-14	1/2-14	31.2	40	27
WPU-12-12	3/4-14	3/4-14	35	46	33
WPU-16-16	1-11.5	1-11.5	41 1	52	41
WPU-20-20	1 1/4-11.5	1 1/4-11.5	48	56	50
WPU-24-24	1 1/2-11.5	1 1/2-11.5	50	72	55
WPU-32-32	2-11.5	2-11.5	62	78	65


VPU Female Pipe 45° Elbow NPT / NPSM Swivel



Reference
Old PN: A6PU
Parker: 3207
Eaton Winner: 7NU4
US Spec: 1504

PN	Threads		Dimensions		
	1	2(NPSM)	N2	W2	S
VPU-04-04	1/4-18	1/4-18	16	24	19
VPU-06-06	3/8-18	3/8-18	18.5	26	22
VPU-08-08	1/2-14	1/2-14	23	30	27
VPU-12-12	3/4-14	3/4-14	25	34	33
VPU-16-16	1-11.5	1-11.5	42	40	41


LFN Conversion Adapter NPT / SAE-ORB



Reference
Old PN:
Parker: FFG5
Eaton Winner: SNO
US Spec: 6404

PN	Threads		Dimensions	
	1	2(UN/UNF)	L	S
LFN-02-04	1/8-27	7/16-20	27	17
LFN-02-05	1/8-27	1/2-20	28	19
LFN-04-04	1/4-18	7/16-20	33.5	17
LFN-04-06	1/4-18	9/16-18	34.5	19
LFN-06-06	3/8-18	9/16-18	36	19
LFN-06-08	3/8-18	3/4-16	38	24
LFN-08-06	1/2-14	9/16-18	40	22
LFN-08-08	1/2-14	3/4-16	42	24
LFN-08-10	1/2-14	7/8-14	44.5	27
LFN-12-08	3/4-14	3/4-16	30	27
LFN-12-12	3/4-14	1 1/6-12	50	35
LFN-16-16	1-11.5	1.5/16-12	54	41

NP Conversion Adapter SAE-ORB / NPT




Reference

Old PN: ADNP
Parker: F50G
Eaton Winner: 50N
US Spec: 6405

PN	Threads		Dimensions	
	1 (UN/UNF)	2	L	S
NP-04-02	7/16-20	1/8-27	25.4	14
NP-04-04	7/16-20	1/4-18	30	19
NP-05-02	1/2-20	1/8-27	27	17
NP-05-04	1/2-20	1/4-18	30	19
NP-06-02	9/16-18	1/8-27	25.4	17
NP-06-04	9/16-18	1/4-18	30	19
NP-06-06	9/16-18	3/8-18	32.5	22
NP-06-08	9/16-18	1/2-14	39	28.5
NP-08-04	3/4-16	1/4-18	29	22
NP-08-06	3/4-16	3/8-18	32.5	22
NP-08-08	3/4-16	1/2-14	38	28.5
NP-10-06	7/18-14	3/8-18	32.5	27
NP-10-08	7/18-14	1/2-14	39	27
NP-10-12	7/18-14	3/4-14	41.5	35
NP-12-08	1 1/16-12	1/2-14	36	32
NP-12-12	1 1/16-12	3/4-14	44	35
NP-16-12	1.5/16-12	3/4-14	38	38
NP-16-16	1.5/16-12	1-11.5	48	41
NP-20-16	1.5/8-12	1-11.5	25.4	50
NP-20-20	1.5/8-12	1 1/4-11.5	50	50
NP-20-24	1.5/8-12	1 1/2-11.5	55	60
NP-24-20	1.7/8-12	1 1/4-11.5	50	50
NP-24-24	1.7/8-12	1 1/2-11.5	50	60
NP-32-32	2.1/2-12	2-11.5	52.5	75

NU SAE-ORB / NPSM Swivel




Reference

Old PN: ADNU
Parker: 0507
Eaton Winner: 20U

PN	Threads		Dimensions		
	1 (UN/UNF)	2(NPSM)	L	S	S1
NU-04-04	7/16-20	1/4-18	34	14	19
NU-06-04	9/16-18	1/4-18	34.5	17	19
NU-06-06	9/16-18	3/8-18	35	17	22
NU-06-08	9/16-18	1/2-14	40	22	27
NU-08-06	3/4-16	3/8-18	37	22	22
NU-08-08	3/4-16	1/2-14	40	22	27
NU-10-08	7/18-14	1/2-14	44	27	27
NU-12-08	1 1/16-12	1/2-14	48	32	27
NU-12-12	1 1/16-12	3/4-14	50	32	32
NU-16-16	1.5/16-12	1-11.5	55	38	38
NU-20-20	1.5/8-12	1 1/4-11.5	58	50	50
NU-24-24	1.7/8-12	1 1/2-11.5	60	55	55


VNU SAE-ORB / NPSM Swivel 45° Elbow



Reference


Old PN: A6NU
Parker: 3507
Eaton Winner: 20U4

PN	Threads		Dimensions		
	1 (UN/UNF)	2(NPSM)	W2	N4	S
VNU-04-04	7/16-20	1/4-18	20	27	11
VNU-06-06	9/16-18	3/8-18	26	29	14
VNU-08-08	3/4-16	1/2-14	30	33	19
VNU-10-08	7/18-14	1/2-14	30	38.6	22
VNU-12-12	1 1/16-12	3/4-14	35	44	27
VNU-16-16	1.5/16-12	1-11.5	38	47.2	33

WNU SAE-ORB / NPSM Swivel 90° Elbow



Reference
Old PN:
Parker: 2507
Eaton Winner: 20U9

PN	Threads		Dimensions		
	1 (UN/UNF)	2 (NPSM)	N3	W3	S
WNU-04-04	7/16-20	1/4-18	25	26.2	11
WNU-06-04	9/16-18	1/4-18	27	31.8	14
WNU-06-06	9/16-18	3/8-18	28	31.8	14
WNU-06-08	9/16-18	1/2-14	32	34	19
WNU-08-06	3/4-16	3/8-18	30	36.8	19
WNU-08-08	3/4-16	1/2-14	34	36.8	19
WNU-10-08	7/18-14	1/2-14	36	39.4	22
WNU-12-12	1 1/16-12	3/4-14	42	49.3	27
WNU-16-16	1.5/16-12	1-11.5	50	52	33

PLL Pipe Plug NPT



Reference
Old PN: PLUG-L
Parker: HP
Eaton Winner: 4NN
US Spec: 5406-P

PN	Threads	Dimensions	
		L	S
PLL-02	1/8-27	14.2	12
PLL-04	1/4-18	19	14
PLL-06	3/8-18	20	19
PLL-08	1/2-14	25	22
PLL-12	3/4-14	27	27
PLL-16	1-11.5	32	35
PLL-20	1 1/4-11.5	36	46
PLL-24	1 1/2-11.5	38	50
PLL-32	2-11.5	43	65

LFM Conversion Adapter NPT / METRIC ISO-6149


Reference
Old PN:
Parker: FHG8
Eaton Winner: 5NH


PN	Threads		Dimensions	
	1 (NPT)	2 (Metric)	L	S
LFM-02-10	1/8-27	M10*1.0	24	17
LFM-02-12	1/8-27	M12*1.5	30	19
LFM-04-14	1/4-18	M14*1.5	34	22
LFM-04-16	1/4-18	M16*1.5	34	24
LFM-06-18	3/8-18	M18*1.5	35	27
LFM-08-22	1/2-14	M22*1.5	42	30
LFM-12-27	3/4-14	M27*2.0	45	36

HPLL Hollow Hex Pipe Plug NPT


Reference
Old PN: L-HH PLUG
Parker: HHP
Eaton Winner: 4NN
US Spec: 5406-HP

PN	Threads	Dimensions	
		L	S
HPLL-01	1/16-27	6.5	4
HPLL-02	1/8-27	8	5
HPLL-04	1/4-18	10	6
HPLL-06	3/8-18	12	8
HPLL-08	1/2-14	14	10
HPLL-12	3/4-14	16	14
HPLL-16	1-11.5	18	17
HPLL-20	1 1/4-11.5	22	19
HPLL-24	1 1/2-11.5	24	22
HPLL-32	2-11.5	28	28

CPL Pipe Cap NPT



Reference
Old PN: CAP-P
Parker: HPC
Eaton Winner: 9N
US Spec: 5406-C

PN	Threads	Dimensions	
	1	L1	S
CPL-02	1/8-27	19	14
CPL-04	1/4-18	23	19
CPL-06	3/8-18	26	22
CPL-08	1/2-14	34	27
CPL-12	3/4-14	36.5	32
CPL-16	1-11.5	42.5	41

