



ADAPTER OTHERS


KOMASTU Metric 30° Flare




KOMASTU Metric 30° Flare / Metric - ORR




KOMASTU Metric 30° Flare / BSPT Male




JIS 30° Flare




JIS 30° Flare / BSPT Male



JIS 30° Flare / BSPP Male




KOMATSU Plug / Cap



JIS Plug / Cap

KK KOMATSU Union 30° Flare



Reference


Old PN: ADKK

Parker: HMKA

Eaton Winner: 1K

PN	Threads		Dimensions	
	1	2	L	S
KK-12-12	M12-1.5	M12-1.5	40	14
KK-14-14	M14-1.5	M14-1.5	42	17
KK-16-16	M16-1.5	M16-1.5	45	19
KK-18-18	M18-1.5	M18-1.5	45	19
KK-20-20	M20-1.5	M20-1.5	48	22
KK-22-22	M22-1.5	M22-1.5	48	24
KK-24-24	M24-1.5	M24-1.5	53	27
KK-30-30	M30-1.5	M30-1.5	63	32
KK-33-33	M33-1.5	M33-1.5	72	36

KM KOMATSU 30° Flare / Metric - ORR



Reference


Old PN: ADKH

Parker: -

Eaton Winner: 1KH

PN	Threads		Dimensions	
	1	2	L	S
KM-12-12	M12-1.5	M12-1.5	36.5	17
KM-14-14	M14-1.5	M14-1.5	38	19
KM-16-14	M16-1.5	M14-1.5	39.5	19
KM-18-14	M18-1.5	M14-1.5	39.5	19
KM-16-16	M16-1.5	M16-1.5	40	22
KM-18-16	M18-1.5	M16-1.5	40	22
KM-22-18	M22-1.5	M18-1.5	45	24
KM-18-20	M18-1.5	M20-1.5	45	27
KM-22-20	M22-1.5	M20-1.5	45	27
KM-24-20	M24-1.5	M20-1.5	48	27
KM-24-22	M24-1.5	M22-1.5	48	30
KM-24-24	M24-1.5	M24-1.5	50	32
KM-30-24	M30-1.5	M24-1.5	55	30
KM-30-30	M30-1.5	M30-1.5	56	36
KM-33-33	M33-1.5	M33-1.5	62	41

VKM KOMATSU 30° Flare / Metric - ORR 45° Elbow



Reference


Old PN: A6KH

Parker: -

Eaton Winner: 1KH4

PN	Threads		Dimensions		
	1	2	L3	L4	S
VKM-14-14	M14-1.5	M14-1.5	24	28	14
VKM-16-14	M16-1.5	M14-1.5	25	30	16
VKM-18-14	M18-1.5	M14-1.5	26.5	32	19
VKM-18-16	M18-1.5	M16-1.5	26.5	32	19
VKM-18-20	M18-1.5	M20-1.5	28.5	36.3	22
VKM-22-20	M22-1.5	M20-1.5	30.5	36.3	22
VKM-24-24	M24-1.5	M24-1.5	33	43	27
VKM-30-24	M30-1.5	M24-1.5	37	44.8	30
VKM-30-33	M30-1.5	M33-1.5	39	44.3	33
VKM-33-33	M33-1.5	M33-1.5	39	44.3	33

WKM KOMATSU 30° Flare / Metric - ORR 90° Elbow




Reference

Old PN: A5KH

Parker: -


Eaton Winner: 1KH9

PN	Threads		Dimensions		
	1	2	L1	L2	S
WKM-14-14	M14-1.5	M14-1.5	27.5	32	14
WKM-16-14	M16-1.5	M14-1.5	28.5	34	16
WKM-18-14	M18-1.5	M14-1.5	32	36	19
WKM-18-16	M18-1.5	M16-1.5	32	38	19
WKM-18-20	M18-1.5	M20-1.5	35	42.5	22
WKM-22-20	M22-1.5	M20-1.5	36	42.5	22
WKM-24-24	M24-1.5	M24-1.5	40	45	27
WKM-30-24	M30-1.5	M24-1.5	48	50	30
WKM-30-33	M30-1.5	M33-1.5	48	55	33
WKM-33-33	M33-1.5	M33-1.5	50	55	33

TBKM Branch Tee KOMATSU 30° Flare / Metric - ORR



Reference
 Old PN: T-KHK
 Parker: -
 Eaton Winner: AKHK

PN	Threads		Dimensions		
	1,2	3	L1	L2	S
TBKM-14-14-14	M14-1.5	M14-1.5	27.5	32	14
TBKM-16-16-14	M16-1.5	M14-1.5	28.5	34	16
TBKM-18-18-14	M18-1.5	M14-1.5	32	36	19
TBKM-18-18-16	M18-1.5	M16-1.5	32	38	19
TBKM-18-18-20	M18-1.5	M20-1.5	35	42.5	22
TBKM-22-22-20	M22-1.5	M20-1.5	36	42.5	22
TBKM-24-24-24	M24-1.5	M24-1.5	40	45	27
TBKM-30-30-24	M30-1.5	M24-1.5	48	50	30
TBKM-30-30-33	M30-1.5	M33-1.5	48	55	33
TBKM-33-33-33	M33-1.5	M33-1.5	50	55	33

KA KOMATSU 30° Flare / BSPT Male



Reference
 Old PN: ADKA
 Parker: F3MKA
 Eaton Winner: 1KT

PN	Threads		Dimensions	
	1	2	L	S
KA-12-02	M12-1.5	1/8-28	35	14
KA-12-04	M12-1.5	1/4-19	38	14
KA-14-04	M14-1.5	1/4-19	40	17
KA-16-04	M16-1.5	1/4-19	40	17
KA-16-06	M16-1.5	3/8-19	40	19
KA-18-06	M18-1.5	3/8-19	40	19
KA-20-06	M20-1.5	3/8-19	43	22
KA-20-08	M20-1.5	1/2-14	48	22
KA-22-08	M22-1.5	1/2-14	50	24
KA-24-08	M24-1.5	1/2-14	52	27
KA-30-12	M30-1.5	3/4-14	57	32
KA-33-16	M33-1.5	1-11	67	36

TRKM Run Tee KOMATSU 30° Flare / Metric - ORR


Reference
 Old PN: T-KKH
 Parker: -
 Eaton Winner: AKKH

PN	Threads		Dimensions		
	1,3	2	L1	L2	S
TRKM-14-14-14	M14-1.5	M14-1.5	27.5	32	14
TRKM-16-14-16	M16-1.5	M14-1.5	28.5	34	16
TRKM-18-14-18	M18-1.5	M14-1.5	32	36	19
TRKM-18-16-18	M18-1.5	M16-1.5	32	38	19
TRKM-18-20-18	M18-1.5	M20-1.5	35	42.5	22
TRKM-22-20-22	M22-1.5	M20-1.5	36	42.5	22
TRKM-24-24-24	M24-1.5	M24-1.5	40	45	27
TRKM-30-24-30	M30-1.5	M24-1.5	48	50	30
TRKM-30-33-30	M30-1.5	M33-1.5	48	55	33
TRKM-33-33-33	M33-1.5	M33-1.5	50	55	33

WKA KOMATSU 30° Flare / BSPT Male 90° Elbow



Reference
 Old PN: A5KA
 Parker: C3MKA
 Eaton Winner: 1KT9

PN	Threads		Dimensions		
	1	2	L	S	
WKA-12-02	M12-1.5	1/8-28	24	21	11
WKA-12-04	M12-1.5	1/4-19	26	25.5	14
WKA-14-04	M14-1.5	1/4-19	27.5	25.5	14
WKA-16-04	M16-1.5	1/4-19	28.5	29	17
WKA-16-06	M16-1.5	3/8-19	30	29	17
WKA-18-06	M18-1.5	3/8-19	32	32.5	19
WKA-20-06	M20-1.5	3/8-19	34	32.5	19
WKA-20-08	M20-1.5	1/2-14	36	34.5	22
WKA-22-08	M22-1.5	1/2-14	36	34.5	22
WKA-24-08	M24-1.5	1/2-14	40	34.5	27
WKA-30-12	M30-1.5	3/4-14	46	41	30
WKA-33-16	M33-1.5	1-11	50	48	33

ADAPTER OTHERS

 G PART
 OTHERS


SS Union JIS 30° Flare



Reference
Old PN: ADEE
Parker: HT4
Eaton Winner: 1S

PN	Threads		Dimensions	
	1	2	L	S
SS-04-04	1/4-19	1/4-19	40	17
SS-06-06	3/8-19	3/8-19	43	19
SS-08-08	1/2-14	1/2-14	50	22
SS-12-12	3/4-14	3/4-14	54	27
SS-16-16	1-11	1-11	61	36
SS-20-20	1.1/4-11	1.1/4-11	66	46
SS-24-24	1.1/2-11	1.1/2-11	70	50
SS-32-32	2-11	2-11	80	65


VSA JIS 30° Flare / BSPT Male 45° Elbow



Reference
Old PN: A6EA
Parker: V3T4
Eaton Winner: 1ST4

PN	Threads		Dimensions		
	1	2	L2	P	S
VSA-04-04	1/4-19	1/4-19	22	22	14
VSA-06-06	3/8-19	3/8-19	25	25	17
VSA-08-08	1/2-14	1/2-14	28	28	22
VSA-12-12	3/4-14	3/4-14	32	32	27
VSA-16-16	1-11	1-11	38	38	33
VSA-20-20	1.1/4-11	1.1/4-11	42.5	42.5	41
VSA-24-24	1.1/2-11	1.1/2-11	48	45	48


WSA JIS 30° Flare / BSPT Male 90° Elbow



Reference
Old PN: A5EA
Parker: C3T4
Eaton Winner: 1ST9


PN	Threads		Dimensions		
	1	2	L1	N	S
WSA-04-04	1/4-19	1/4-19	26.5	25.5	14
WSA-06-04	3/8-19	1/4-19	30	29	17
WSA-06-06	3/8-19	3/8-19	30	29	17
WSA-08-06	1/2-14	3/8-19	36	32	22
WSA-08-08	1/2-14	1/2-14	36	34.5	22
WSA-12-12	3/4-14	3/4-14	41	41	27
WSA-16-16	1-11	1-11	48	48	33
WSA-20-20	1.1/4-11	1.1/4-11	57	57	41
WSA-24-24	1.1/2-11	1.1/2-11	64	64	48
WSA-32-32	2-11	2-11	75	75	63

SA JIS 30° Flare / BSPT Male




Reference
Old PN: ADEA
Parker: F3T3
Eaton Winner: 1ST

PN	Threads		Dimensions	
	1	2	L	S
SA-04-04	1/4-19	1/4-19	37	17
SA-06-04	3/8-19	1/4-19	38	19
SA-06-06	3/8-19	3/8-19	40	19
SA-08-06	1/2-14	3/8-19	43	22
SA-08-08	1/2-14	1/2-14	48	22
SA-10-08	5/8-14	5/8-14	50	24
SA-12-12	3/4-14	3/4-14	52	27
SA-16-16	1-11	1-11	61	36
SA-20-20	1.1/4-11	1.1/4-11	66	46
SA-24-24	1.1/2-11	1.1/2-11	70	50
SA-32-32	2-11	2-11	75	65

SB-ED JIS 30° Flare / BSPP-ED



Reference
 Old PN: ADEB-ED
 Parker:
 Eaton Winner: 1SB-WD

PN	Threads		Dimensions	
	1,2	3	L	S
SB-04-04ED	1/4-19	1/4-19	36	19
SB-06-04ED	3/8-19	1/4-19	38	19
SB-06-06ED	3/8-19	3/8-19	40	22
SB-08-06ED	1/2-14	3/8-19	42	22
SB-08-08ED	1/2-14	1/2-14	45	27
SB-12-12ED	3/4-14	3/4-14	48	32
SB-16-16ED	1-11	1-11	56	41

WSB JIS30° Flare / BSPP- ORR 90° Elbow



Reference
 Old PN: ASEB
 Parker:
 Eaton Winner: 1SG9

PN	Threads		Dimensions		
	1,3	2	L1	L3	S
WSB-04-04	1/4-19	1/4-19	26.5	32	14
WSB-06-06	3/8-19	3/8-19	30	37	19
WSB-08-08	1/2-14	1/2-14	36	43	22
WSB-12-12	3/4-14	3/4-14	41	49.5	27
WSB-16-16	1-11	1-11	49	52	33

PLK KOMATSU 30° Flare Plug


Reference
 Old PN: PLUG-K
 Parker: PNMKA
 Eaton Winner: 4K


PN	Threads	Dimensions	
	1	L	S
PLK-12	M12-1.5	23	14
PLK-14	M14-1.5	23.5	17
PLK-16	M16-1.5	25	17
PLK-18	M18-1.5	25	19
PLK-20	M20-1.5	29	22
PLK-22	M22-1.5	29	24
PLK-24	M24-1.5	32	27
PLK-30	M30-1.5	36.5	32
PLK-33	M33-1.5	40	36

CPK KOMATSU 30° Flare Cap


Reference
 Old PN:
 Parker: FNMKA
 Eaton Winner: 9K

PN	Threads	Dimensions	
	1	L	S1
CPK-12	M12-1.5	19	17
CPK-14	M14-1.5	21	19
CPK-16	M16-1.5	22	22
CPK-18	M18-1.5	24	24
CPK-20	M20-1.5	25	27
CPK-22	M22-1.5	26	27
CPK-24	M24-1.5	28	30
CPK-30	M30-1.5	32	36
CPK-33	M33-1.5	38	41


PLS JIS 30° Flare Plug



Reference
 Old PN: PLUG-E
 Parker: PNMT4
 Eaton Winner: 4S

PN	Threads	Dimensions	
	1	L	S
PLS-04	1/4-19	22	17
PLS-06	3/8-19	25	19
PLS-08	1/2-14	27	22
PLS-12	3/4-14	30	27
PLS-16	1-11	32	36
PLS-20	1.1/4-11	36	46
PLS-24	1.1/2-11	36	50
PLS-32	2-11	32	65

CPS JIS 30° Flare Cap



Reference
 Old PN:
 Parker: FNMP4
 Eaton Winner: 9S

PN	Threads	Dimensions	
	1	L	S1
CPS-04	1/4-19	20	19
CPS-06	3/8-19	22	22
CPS-08	1/2-14	24	27
CPS-12	3/4-14	30	32
CPS-16	1-11	32.5	41
CPS-20	1.1/4-11	34	50
CPS-24	1.1/2-11	37	55
CPS-32	2-11	44	70